

UNICA  GLEMGAS










The leading italian cookers. Since 1959.



# Cooking excellence made in Italy



Glem Gas was established in 1959 in Modena, in the heart of Emilia Romagna. The company proudly embodies the culinary excellence of the region and its artistic tradition. The people of Emilia Romagna have a passion for their land, a spirit of innovation and a long history of craftsmanship. At Glem Gas we offer added value through aesthetics, technology and functionality. Our main goal in over half a century in the business is to be "Cooking Specialists". Our products are high performing, versatile and reliable. They are made to last and to be easy to use. We design them to exceed your expectations.

MADE IN ITALY





# Unique and functional


Innovative and refined. The new Glem Gas cookers are high-tech products designed to meet the most modern trends and needs of contemporary living so as to bring forward and interpret the very demanding customers needs.

The shape and the details as well as the robust and functional structure are the key players which create a cooker that is a real piece of furniture, by assuring an outstanding customised kitchen.


We created a new interpretation of free standing cookers. It is a blend between tradition and modernity. This unique approach has been given industry recognition through Glem Gas being awarded one of the most significant international design awards in the industry: The Menzione d'Onore of the XXII Premio Compasso d'Oro ADI (Mention of Honour of the XXII Compasso D'Oro ADI awards).



ADI Design Index is the annual publication of ADI  
Associazione per il Disegno Industriale (Industrial Design Association)  
that collects the best Italian design put into production.






particolare  
finire manichia



profilo continuo alla  
manichia

manipolo

vernice



manichia

# functions and features



## OVEN WITH FAN

The fan in the back wall of the oven operates to evenly distribute the heat. It provides a rapid and consistent cooking environment. It also allows for baking using more than one shelf at the same time. Used at lower temperatures the fan improves the oven efficiency which save energy while cooking perfectly. Available in the electrical and gas oven (see below).



## COLD DOOR

The external temperatures are reduced thanks to the new oven door. The innovative extraction chimney considerably increases the air flow circulation inside the oven door so as to have external temperatures very low.



## BUILT-IN

All Glem Gas cookers are approved to be built into your kitchen cabinetry according to the European Building-in Homologation (UNI EN 30-1-1 class 2). No space required between the bench and the cooker.




## 129 LT VOLUME CAPACITY

The size of the oven cavity has always been a feature of Glem Gas cookers. The capacity (in litres) of our ovens is among the largest in the market. We pay particular attention to the width of the cavity so as to allow the use of the largest baking dishes.



## FULL SAFETY

Security valves for cooktop, oven and grill burners.  
Ignition for cooktop, oven and grill burners.



## Multifunction gas oven with fan The great advantages of this combination

- Cooking time is reduced up to 20% compared with normal gas cookers
- Uniform distribution of heat inside the oven cavity
- Two cooking levels simultaneously
- Optimisation of space and cooking time
- Energy saving
- Homogeneous cooking with no burnt areas



The turnspit (standard feature) is ideal to grant the traditional way of cooking.





#### **OVEN LIGHT**

The oven light illuminates the cooking process.



#### **UPPER ELEMENT**

This function allows direct cooking. Very good for cooking au gratin.



#### **BOTTOM ELEMENT**

Ideal for cooking pies and to give a final touch to the cooking.



#### **TRADITIONAL COOKING**

The heat is given by the bottom and upper oven elements. Ideal for pastry cooking and traditional recipes.



#### **TRADITIONAL COOKING + TURNSPIT**

Traditional cooking with turnspit.



#### **BOTTOM ELEMENT WITH FAN**

The heat of the bottom element is spread through the fan. Ideal for soufflés.



#### **FAN ASSISTED**

The heat given by the bottom and upper oven elements is spread through the fan.



#### **UPPER ELEMENT + TURNSPIT**

This function allows direct cooking. With turnspit.



#### **BOTTOM ELEMENT + TURNSPIT**

The turnspit turns meat while the bottom element roasts from below.



#### **GRILL**

It is used to cook "au gratin". Ideal for cooking "thin" meat.



#### **GRILL + TURNSPIT**

Ideal for grilling.



#### **DOUBLE GRILL WITH FAN**

Ideal for grilling meat and for cooking fish.



#### **BOTTOM GAS**

Traditional gas cooking.



#### **GAS WITH FAN**

The fan evenly spreads the heat produced by the gas burner throughout the cavity.



#### **BOTTOM GAS + TURNSPIT**

Ideal for even cooking.



#### **BOTTOM GAS + TURNSPIT WITH FAN**

The gas with fan function is combined with turnspit.



#### **UPPER GAS**

Traditional gas cooking.



#### **UPPER GAS + TURNSPIT**

Ideal for baking meats.





Unica

# something different

The design of the Unica aims to introduce an aesthetic evolution on its segment. Developed in conjunction with Marcello Cutino, BCF design, represents the result of a continuous interaction between home design and traditional Glem Gas style.



**1 FULL FLAT INNER DOOR GLASS.** Essential design in a brilliant titanium colour. The smooth inner part of the oven door gives not only a clean look, it makes cleaning so much easier. **2 MATT FINISHING.** The new matt black pan supports give more solidity and richness to the cooktop. Furthermore, the new matt and porous finishing acts as anti-slip for all the saucepans. **3-4 FULL FLAT PAN SUPPORTS.** The pan supports of Unica range have been designed to make easier their use. The full flat and levelled shape allows the saucepans to slide from one burner to another so as to prevent them from tipping over. All the differences in height have been deleted so as to have a functional and uniform cooking surface. **5 LEADING EDGE DESIGN.** The full width handle on the oven door offers a sleek horizontal element to the aesthetic that well integrates with modern kitchen design. The side panels create a better balance to the frontal view. A lower control panel and higher hob profile give more personality to the Unica series.











Unica

# a step forward

Functionality and practicality are our main aims when we develop our products. The synergy between design and technology allows to anticipate and meet our customers' needs in order to develop a product easy to clean and, at the same time, professional for cooking.



**1 COLD GLASS.** The innovative conception of the oven door allows the inner air flow to make the surface temperatures more suitable and the kitchen more pleasant. **2 MULTIFUNCTION GAS OVEN WITH FAN** Glem Gas has created an innovative oven which combines all the features of an electric multifunction oven with those of a gas oven. The traditional cooking of the gas oven, ideal for roasting and baking, together with a forced ventilation provides a great heat distribution for single and multi-level cooking. More recipes in less time and with less consumption. **3 129 LT VOLUME CAPACITY** A single oven cavity, large and spacious. The wide space and capacity guarantee different ways of cooking. Perfect for those who want professionalism in the kitchen. **4 TITANIUM ENAMEL EASY TO CLEAN.** Thanks to the low porosity of the titanium enamel, cleaning is so much easier and reduces dirt build up. The titanium enamel is resistant to the attack of acids and maintains its colour over time even after intensive use. The brightness of the titanium enamel gives more room and widthness to your oven.



titanium  
enamel



# Unica 90x60

## UN9612GI

Inox



- Gas oven
- Gas grill
- 1 grid
- 1 drip tray



## UN9612RI


Inox




- Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 drip tray
- Ignition and safety valves for cooktop, oven and grill burners




UN9612GI



UN9612GI  
UN9612RI



UN9622GI  
UN9622RI



UN9621GI  
UN9621RI

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Cast iron pan support
- Safety valves (standard on UN9612RI)
- Ignition by button (standard on UN9612RI)
- One-hand ignition

### OPTIONAL OVEN:

- Closed door system (standard on UN9612RI)
- Safety valves for oven and grill burners (standard on UN9612RI)
- Ignition by button for oven and grill burners (standard on UN9612RI)
- One-hand ignition for oven and grill burners

# Unica 90x60

## UN9612WI

Inox



- Multifunction oven
- Electric grill
- 1 grid
- 1 drip tray



## UN9612EI

Inox



- Electric static oven
- Electric grill
- 1 grid
- 1 drip tray




## UN9612MI


Inox




- Gas oven
- Electric grill
- 1 grid
- 1 drip tray



UN9612WI  
UN9612EI  
UN9612MI



UN9622WI  
UN9622EI  
UN9622MI



UN9621WI  
UN9621EI  
UN9621MI



UN9612WI

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN9612MI - UN9612EI)
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

### OPTIONAL OVEN:

- Safety valves for oven burner (optional on UN9612MI)
- Ignition by button for oven burner (optional on UN9612MI)
- One-hand ignition for oven burner (optional on UN9612MI)
- Turnspit (optional on UN9612WI)

# Unica 90x60

## UN9612GX

White



- Gas oven
- Gas grill
- 1 grid
- 1 drip tray



## UN9612RX


White




- Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 drip tray
- Ignition and safety valves for cooktop, oven and grill burners




UN9612GX



UN9612GX  
UN9612RX



UN9622GX  
UN9622RX



UN9621GX  
UN9621RI

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Cast iron pan support
- Safety valves (standard on UN9612RX)
- Ignition by button (standard on UN9612RX)
- One-hand ignition

### OPTIONAL OVEN:

- Closed door system (standard on UN9612RX)
- Safety valves for oven and grill burners (standard on UN9612RX)
- Ignition by button for oven and grill burners (standard on UN9612RX)
- One-hand ignition for oven and grill burners



# Unica 90x60

## UN9612WX

White



- Multifunction oven
- Electric grill
- 1 grid
- 1 drip tray



## UN9612EX

White



- Electric static oven
- Electric grill
- 1 grid
- 1 drip tray



## UN9612MX


White




- Gas oven
- Electric grill
- 1 grid
- 1 drip tray




UN9612WX



UN9612WX  
UN9612EX  
UN9612MX



UN9622WX  
UN9622EX  
UN9622MX



UN9621WX  
UN9621EX  
UN9621MX

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN9612MX - UN9612EX)
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

### OPTIONAL OVEN:

- Safety valves for oven burner (optional on UN9612MX)
- Ignition by button for oven burner (optional on UN9612MX)
- One-hand ignition for oven burner (optional on UN9612MX)
- Turnspit (optional on UN9612WX)

# Unica 80x60

## UN8612GI

Inox



- Gas oven
- Gas grill
- 1 grid
- 1 drip tray



## UN8612RI


Inox



- Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 drip tray
- Ignition and safety valves for cooktop, oven and grill burners



UN8612GI



UN8612GI  
UN8612RI

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Safety valves (standard on UN8612RI)
- Ignition by button (standard on UN8612RI)
- One-hand ignition

### OPTIONAL OVEN:

- Closed door system (standard on UN8612RI)
- Safety valves for oven and grill burners (standard on UN8612RI)
- Ignition by button for oven and grill burners (standard on UN8612RI)
- One-hand ignition for oven and grill burners

# Unica 80x60

## UN8612WI

Inox



- Multifunction oven
- Electric grill
- 1 grid
- 1 drip tray



## UN8612EI

Inox



- Electric static oven
- Electric grill
- 1 grid
- 1 drip tray




## UN8612MI

Inox



- Gas oven
- Electric grill
- 1 grid
- 1 drip tray



UN8612WI  
UN8612EI  
UN8612MI



UN8612WI

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN8612MI - UN8612EI)
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Safety valves
- Ignition by button
- One-hand ignition

### OPTIONAL OVEN:

- Safety valves for oven burner (optional on UN8612MI)
- Ignition by button for oven burner (optional on UN8612MI)
- One-hand ignition for oven burner (optional on UN8612MI)
- Turnspit (optional on UN8612WI)

# Unica 80x60

## UN8612GX

White



- Gas oven
- Gas grill
- 1 grid
- 1 drip tray



## UN8612RX


White



- Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 drip tray
- Ignition and safety valves for cooktop, oven and grill burners



UN8612GX



UN8612GX  
UN8612RX

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Safety valves (standard on UN8612RX)
- Ignition by button (standard on UN8612RX)
- One-hand ignition

### OPTIONAL OVEN:

- Closed door system (standard on UN8612RX)
- Safety valves for oven and grill burners (standard on UN8612RX)
- Ignition by button for oven and grill burners (standard on UN8612RX)
- One-hand ignition for oven and grill burners

# Unica 80x60

## UN8612WX

White



- Multifunction oven
- Electric grill
- 1 grid
- 1 drip tray



## UN8612EX

White



- Electric static oven
- Electric grill
- 1 grid
- 1 drip tray




## UN8612MX

White



- Gas oven
- Electric grill
- 1 grid
- 1 drip tray



UN8612WX  
UN8612EX  
UN8612MX



UN8612WX

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN8612MX - UN8612EX)
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Safety valves
- Ignition by button
- One-hand ignition

### OPTIONAL OVEN:

- Safety valves for oven burner (optional on UN8612MX)
- Ignition by button for oven burner (optional on UN8612MX)
- One-hand ignition for oven burner (optional on UN8612MX)
- Turnspit (optional on UN8612WX)



## Unica 90x60 Bottle compartment

### PU9612GI

Inox




- Gas oven
- Gas grill
- 1 grid
- 1 drip tray


Cooking functions:




PU9612GI



PU9612GI



PU9622GI



PU9621GI

#### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

#### OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

#### OPTIONAL OVEN:

- Closed door system
- Safety valves for oven and grill burners
- Ignition by button for oven and grill burners
- One-hand ignition for oven and grill burners
- Turnspit

## Unica 90x60 Bottle compartment

### PU9612WI

Inox



- Multifunction oven
- Electric grill
- 1 grid
- 1 drip tray



### PU9612EI

Inox



- Electric static oven
- Electric grill
- 1 grid
- 1 drip tray



### PU9612MI


Inox




- Gas oven
- Electric grill
- 1 grid
- 1 drip tray




PU9612WI



PU9612WI  
PU9612EI  
PU9612MI



PU9622WI  
PU9622EI  
PU9622MI



PU9621WI  
PU9621EI  
PU9621MI

#### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

#### OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

#### OPTIONAL OVEN:

- Safety valves for oven burner (optional on PU9612MI)
- Ignition by button for oven burner (optional on PU9612MI)
- One-hand ignition for oven burner (optional on PU9612MI)
- Turnspit (optional on PU9612EI - PU9612MI)

## PU9612GX

White




- Gas oven
- Gas grill
- 1 grid
- 1 drip tray




## Unica 90x60 Bottle compartment




PU9612GX



PU9612GX



PU9622GX



PU9621GX

### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

### OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

### OPTIONAL OVEN:

- Closed door system
- Safety valves for oven and grill burners
- Ignition by button for oven and grill burners
- One-hand ignition for oven and grill burners
- Turnspit

## Unica 90x60 Bottle compartment

### PU9612WX

White



- Multifunction oven
- Electric grill
- 1 grid
- 1 drip tray



### PU9612EX

White



- Electric static oven
- Electric grill
- 1 grid
- 1 drip tray



### PU9612MX


White




- Gas oven
- Electric grill
- 1 grid
- 1 drip tray




PU9612WX



PU9612WX  
PU9612EX  
PU9612MX



PU9622WX  
PU9622EX  
PU9622MX



PU9621WX  
PU9621EX  
PU9621MX

#### STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

#### OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

#### OPTIONAL OVEN:

- Safety valves for oven burner (optional on PU9612MX)
- Ignition by button for oven burner (optional on PU9612MX)
- One-hand ignition for oven burner (optional on PU9612MX)
- Turnspit (optional on PU9612EX - PU9612MX)

## Technical features

Model		UN9612G	UN9612R	UN9612W	UN9612E	UN9612M
Colour		I - X	I - X	I - X	I - X	I - X
Maxi oven		•	•	•	•	•
Bottle compartment		-	-	-	-	-
Storage compartment		•	•	•	•	•
Adjustable feet		•	•	•	•	•
HOB FEATURES						
Matt enamelled pan support		•	•	•	•	•
Cast iron pan support		0	0	0	0	0
One-hand ignition		0	0	0	0	0
Ignition by button		0	•	0	0	0
Safety valves		0	•	0	0	0
Number of burners		5	5	5	5	5
Triple ring burner	kW	3,6	3,6	3,6	3,6	3,6
Rapid burner	kW	3	3	3	3	3
Semi-rapid burner	kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW	1	1	1	1	1
Electric hotplate cooktop	kW	-	-	-	-	-
Electric hotplate cooktop	kW	-	-	-	-	-
OVEN FEATURES						
Gas oven - gas grill		•	-	-	-	-
Multifunction gas oven with fan - gas grill		-	•	-	-	-
Multifunction oven		-	-	•	-	-
Electric oven - electric grill		-	-	-	•	-
Gas oven - electric grill		-	-	-	-	•
Full flat inner door glass		•	•	•	•	•
Oven compartment net volume lts.	lts.	126	114	117	129	129
Thermostat		•	•	•	•	•
One-hand ignition		0	0	-	-	0*
Ignition by button		0	•	-	-	0*
Safety valves		0	•	-	-	0*
Turnspit		•	•	0	•	•
Enamelled tray		1	1	1	1	1
Wire grid		1	1	1	1	1
Closed door system		0	•	-	-	-
Titanium enamel		•	•	•	•	•
Crystal lid		•	•	•	•	•
PROGRAMMER						
Mechanical minute minder		•	•	•	•	•
DIMENSIONS						
Width	cm	90	90	90	90	90
Depth	cm	60	60	60	60	60
Height	cm	85/90	85/90	85/90	85/90	85/90

\* on oven burner

- = NO  
 • = STANDARD  
 0 = OPTIONAL  
 I = INOX  
 X = White



## Technical features

Model		UN9621G	UN9621R	UN9621W	UN9621E	UN9621M
Colour		I - X	I - X	I - X	I - X	I - X
Maxi oven		•	•	•	•	•
Bottle compartment		-	-	-	-	-
Storage compartment		•	•	•	•	•
Adjustable feet		•	•	•	•	•
HOB FEATURES						
Matt enamelled pan support		•	•	•	•	•
Cast iron pan support		o	o	o	o	o
One-hand ignition		o	o	o	o	o
Ignition by button		o	•	o	o	o
Safety valves		o	•	o	o	o
Number of burners		4 + 2 hotplate	4 + 2 hotplate	4 + 2 hotplate	4 + 2 hotplate	4 + 2 hotplate
Triple ring burner	kW	-	-	-	-	-
Rapid burner	kW	3	3	3	3	3
Semi-rapid burner	kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW	1	1	1	1	1
Electric hotplate cooktop	kW	1	1	1	1	1
Electric hotplate cooktop	kW	1,5	1,5	1,5	1,5	1,5
OVEN FEATURES						
Gas oven - gas grill		•	-	-	-	-
Multifunction gas oven with fan - gas grill		-	•	-	-	-
Multifunction oven		-	-	•	-	-
Electric oven - electric grill		-	-	-	•	-
Gas oven - electric grill		-	-	-	-	•
Full flat inner door glass		•	•	•	•	•
Oven compartment net volume lts.	lts.	126	114	117	129	129
Thermostat		•	•	•	•	•
One-hand ignition		o	o	-	-	o*
Ignition by button		o	•	-	-	o*
Safety valves		o	•	-	-	o*
Turnspit		•	•	o	•	•
Enamelled tray		1	1	1	1	1
Wire grid		1	1	1	1	1
Closed door system		o	•	-	-	-
Titanium enamel		•	•	•	•	•
Crystal lid		•	•	•	•	•
PROGRAMMER						
Mechanical minute minder		•	•	•	•	•
DIMENSIONS						
Width	cm	90	90	90	90	90
Depth	cm	60	60	60	60	60
Height	cm	85/90	85/90	85/90	85/90	85/90

\* on oven burner

- = NO  
 • = STANDARD  
 o = OPTIONAL  
 I = INOX  
 X = White

## Technical features

Model		UN9622G	UN9622R	UN9622W	UN9622E	UN9622M
Colour		I - X	I - X	I - X	I - X	I - X
Maxi oven		•	•	•	•	•
Bottle compartment		-	-	-	-	-
Storage compartment		•	•	•	•	•
Adjustable feet		•	•	•	•	•
HOB FEATURES						
Matt enamelled pan support		•	•	•	•	•
Cast iron pan support		0	0	0	0	0
One-hand ignition		0	0	0	0	0
Ignition by button		0	•	0	0	0
Safety valves		0	•	0	0	0
Number of burners		6	6	6	6	6
Triple ring burner	kW	3,6	3,6	3,6	3,6	3,6
Rapid burner	kW	3	3	3	3	3
Semi-rapid burner	kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW	1	1	1	1	1
Electric hotplate cooktop	kW	-	-	-	-	-
Electric hotplate cooktop	kW	-	-	-	-	-
OVEN FEATURES						
Gas oven - gas grill		•	-	-	-	-
Multifunction gas oven with fan - gas grill		-	•	-	-	-
Multifunction oven		-	-	•	-	-
Electric oven - electric grill		-	-	-	•	-
Gas oven - electric grill		-	-	-	-	•
Full flat inner door glass		•	•	•	•	•
Oven compartment net volume lts.	lts.	126	114	117	129	129
Thermostat		•	•	•	•	•
One-hand ignition		0	0	-	-	0*
Ignition by button		0	•	-	-	0*
Safety valves		0	•	-	-	0*
Turnspit		•	•	0	•	•
Enamelled tray		1	1	1	1	1
Wire grid		1	1	1	1	1
Closed door system		0	•	-	-	-
Titanium enamel		•	•	•	•	•
Crystal lid		•	•	•	•	•
PROGRAMMER						
Mechanical minute minder		•	•	•	•	•
DIMENSIONS						
Width	cm	90	90	90	90	90
Depth	cm	60	60	60	60	60
Height	cm	85/90	85/90	85/90	85/90	85/90

\* on oven burner

- = NO  
 • = STANDARD  
 0 = OPTIONAL  
 I = INOX  
 X = White

## Technical features

Model		UN8612G	UN8612R	UN8612W	UN8612E	UN8612M
Colour		I - X	I - X	I - X	I - X	I - X
Maxi oven		•	•	•	•	•
Bottle compartment		-	-	-	-	-
Storage compartment		•	•	•	•	•
Adjustable feet		•	•	•	•	•
HOB FEATURES						
Matt enamelled pan support		•	•	•	•	•
Cast iron pan support		-	-	-	-	-
One-hand ignition		0	0	0	0	0
Ignition by button		0	•	0	0	0
Safety valves		0	•	0	0	0
Number of burners		5	5	5	5	5
Triple ring burner	kW	3,6	3,6	3,6	3,6	3,6
Rapid burner	kW	3	3	3	3	3
Semi-rapid burner	kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW	1	1	1	1	1
Electric hotplate cooktop	kW	-	-	-	-	-
Electric hotplate cooktop	kW	-	-	-	-	-
OVEN FEATURES						
Gas oven - gas grill		•	-	-	-	-
Multifunction gas oven with fan - gas grill		-	•	-	-	-
Multifunction oven		-	-	•	-	-
Electric oven - electric grill		-	-	-	•	-
Gas oven - electric grill		-	-	-	-	•
Full flat inner door glass		•	•	•	•	•
Oven compartment net volume lts.	lts.	109	99	102	112	112
Thermostat		•	•	•	•	•
One-hand ignition		0	0	-	-	0*
Ignition by button		0	•	-	-	0*
Safety valves		0	•	-	-	0*
Turnspit		•	•	0	•	•
Enamelled tray		1	1	1	1	1
Wire grid		1	1	1	1	1
Closed door system		0	•	-	-	-
Titanium enamel		•	•	•	•	•
Crystal lid		•	•	•	•	•
PROGRAMMER						
Mechanical minute minder		•	•	•	•	•
DIMENSIONS						
Width	cm	80	80	80	80	80
Depth	cm	60	60	60	60	60
Height	cm	85/90	85/90	85/90	85/90	85/90

\* on oven burner

- = NO  
 • = STANDARD  
 0 = OPTIONAL  
 I = INOX  
 X = White

## Technical features

Model		PU9612G	PU9612W	PU9612E	PU9612M	PU9621G
Colour		I - X	I - X	I - X	I - X	I - X
Maxi oven		-	-	-	-	-
Bottle compartment		•	•	•	•	•
Storage compartment		•	•	•	•	•
Adjustable feet		•	•	•	•	•
HOB FEATURES						
Matt enamelled pan support		•	•	•	•	•
Cast iron pan support		0	0	0	0	0
One-hand ignition		0	0	0	0	0
Ignition by button		0	0	0	0	0
Safety valves		0	0	0	0	0
Number of burners		5	5	5	5	4 + 2 hotplate
Triple ring burner	kW	3,6	3,6	3,6	3,6	-
Rapid burner	kW	3	3	3	3	3
Semi-rapid burner	kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW	1	1	1	1	1
Electric hotplate cooktop	kW	-	-	-	-	1
Electric hotplate cooktop	kW	-	-	-	-	1,5
OVEN FEATURES						
Gas oven - gas grill		•	-	-	-	•
Multifunction gas oven with fan - gas grill		-	-	-	-	-
Multifunction oven		-	•	-	-	-
Electric oven - electric grill		-	-	•	-	-
Gas oven - electric grill		-	-	-	•	-
Full flat inner door glass		•	•	•	•	•
Oven compartment net volume lts.	lts.	70	67	72	72	70
Thermostat		•	•	•	•	•
One-hand ignition		0	-	-	0*	0
Ignition by button		0	-	-	0*	0
Safety valves		0	-	-	0*	0
Turnspit		0	-	0	0	0
Enamelled tray		1	1	1	1	1
Wire grid		1	1	1	1	1
Closed door system		0	-	-	-	0
Titanium enamel		•	•	•	•	•
Crystal lid		•	•	•	•	•
PROGRAMMER						
Mechanical minute minder		•	•	•	•	•
DIMENSIONS						
Width	cm	90	90	90	90	90
Depth	cm	60	60	60	60	60
Height	cm	85/90	85/90	85/90	85/90	85/90

\* on oven burner

- = NO  
 • = STANDARD  
 0 = OPTIONAL  
 I = INOX  
 X = White

## Technical features

Model		PU9621W	PU9621E	PU9621M	PU9622G	PU9622W
Colour		I - X	I - X	I - X	I - X	I - X
Maxi oven		-	-	-	-	-
Bottle compartment		•	•	•	•	•
Storage compartment		•	•	•	•	•
Adjustable feet		•	•	•	•	•
HOB FEATURES						
Matt enamelled pan support		•	•	•	•	•
Cast iron pan support		0	0	0	0	0
One-hand ignition		0	0	0	0	0
Ignition by button		0	0	0	0	0
Safety valves		0	0	0	0	0
Number of burners		4 + 2 hotplate	4 + 2 hotplate	4 + 2 hotplate	6	6
Triple ring burner	kW	-	-	-	3,6	3,6
Rapid burner	kW	3	3	3	3	3
Semi-rapid burner	kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW	1	1	1	1	1
Electric hotplate cooktop	kW	1	1	1	-	-
Electric hotplate cooktop	kW	1,5	1,5	1,5	-	-
OVEN FEATURES						
Gas oven - gas grill		-	-	-	•	-
Multifunction gas oven with fan - gas grill		-	-	-	-	-
Multifunction oven		•	-	-	-	•
Electric oven - electric grill		-	•	-	-	-
Gas oven - electric grill		-	-	•	-	-
Full flat inner door glass		•	•	•	•	•
Oven compartment net volume lts.	lts.	67	72	72	70	67
Thermostat		•	•	•	•	•
One-hand ignition		-	-	0*	0	-
Ignition by button		-	-	0*	0	-
Safety valves		-	-	0*	0	-
Turnspit		-	0	0	0	-
Enamelled tray		1	1	1	1	1
Wire grid		1	1	1	1	1
Closed door system		-	-	-	0	-
Titanium enamel		•	•	•	•	•
Crystal lid		•	•	•	•	•
PROGRAMMER						
Mechanical minute minder		•	•	•	•	•
DIMENSIONS						
Width	cm	90	90	90	90	90
Depth	cm	60	60	60	60	60
Height	cm	85/90	85/90	85/90	85/90	85/90

\* on oven burner

- = NO  
 • = STANDARD  
 0 = OPTIONAL  
 I = INOX  
 X = White



## Technical features

Model		PU9622E	PU9622M
Colour		I - X	I - X
Maxi oven		-	-
Bottle compartment		•	•
Storage compartment		•	•
Adjustable feet		•	•
HOB FEATURES			
Matt enamelled pan support		•	•
Cast iron pan support		0	0
One-hand ignition		0	0
Ignition by button		0	0
Safety valves		0	0
Number of burners		6	6
Triple ring burner	kW	3,6	3,6
Rapid burner	kW	3	3
Semi-rapid burner	kW	1,75	1,75
Auxiliary burner	kW	1	1
Electric hotplate cooktop	kW	-	-
Electric hotplate cooktop	kW	-	-
OVEN FEATURES			
Gas oven - gas grill		-	-
Multifunction gas oven with fan - gas grill		-	-
Multifunction oven		-	-
Electric oven - electric grill		•	-
Gas oven - electric grill		-	•
Full flat inner door glass		•	•
Oven compartment net volume lts.	lts.	72	72
Thermostat		•	•
One-hand ignition		-	0*
Ignition by button		-	0*
Safety valves		-	0*
Turnspit		0	0
Enamelled tray		1	1
Wire grid		1	1
Closed door system		-	-
Titanium enamel		•	•
Crystal lid		•	•
PROGRAMMER			
Mechanical minute minder		•	•
DIMENSIONS			
Width	cm	90	90
Depth	cm	60	60
Height	cm	85/90	85/90

\* on oven burner

- = NO  
 • = STANDARD  
 0 = OPTIONAL  
 I = INOX  
 X = White





Glem Gas S.p.A.  
via Modenese, 4266  
41018 San Cesario S.P.  
Modena - Italy  
tel. +39 059 959111  
fax +39 059 959150  
info@glemgas.com  
www.glemgas.com

GLEM GAS S.p.A. should not be held responsible for any mistakes in this booklet caused by inaccuracy in printing or transcription, besides GLEM GAS S.p.A. has the right to modify its products without changing their main features.

011T54 07/2013