GLEM

COOK

COOKERS

COOKERS

10 The One

16 Monolith

46 Matrix

64 Unica

88 Tech info

PROJECT *and* EMOTION MADE *in* ITALY

Glem brand belongs to Glem Gas group established in 1959 in San Cesario, a few kilometers from Modena, in the heart of Emilia and of this territory it proudly carries on the culinary excellence, the artistic tradition, the passion for the land, the spirit of innovation and the craftsmanship of its people. The technological and aesthetic content of our products represents our absolute value, a rigorous and emblematic image of Made in Italy. Materials, shapes and technologies of Glem products are developed thanks to our research and development department through the collaboration with designers of international renown. All our products are assembled in our local premises and are submitted to strict quality controls so as to grant excellent performances both technological and aesthetic.

IO CUCINO *con* GLEM

Glem represents the Italian excellence in realizing cooking appliances at an international level. Our product range, wide and varied, follows and brings forward the market development so as to grant the highest quality worldwide. Made in Italy is for us a synonym of style, design and product quality, attention for the environment and for the people. Passion is the essential ingredient for every successful recipes. Glem has changed how to conceive the kitchen through a new aesthetic function of the appliances. It is a creative room where design and functionality allow to express the own taste and style thanks to the versatility of a range, aesthetically refined and simple to use, in position to satisfy any tastes and needs.

Io Cucino
con
GLEM
MADE IN ITALY

GLOBAL *and* SMART CITIZENS

We develop products according to the contemporary living, favouring materials and innovative shapes which grant charming aesthetic, ergonomic shapes, ease of use and maintenance. Our appliances become object of furniture able to perfectly adapt to the last fashion trends and interior design. Pragmatism, experience and creativity are the ingredients which have brought Glem to receive prestigious awards and praises in the design area.

GLEM
FRAGILE
COOKER

PRH

EVOLVING DIMENSIONS *and* SERVICES

VOLEM

GLEM

THE POLAROID BOOK

122x70 DOUBLE OVEN

The One

ZFG6821I

Performance and features

Heavy duty cast iron pan supports
One-hand ignition
Tangential cooling fan
Turnspit
Telescopic guides (main oven)
Side racks (second oven)
Side columns
Drawer with slow motion opening system

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ZFG6821I

St. steel

LEFT OVEN

Multifunction electric oven
Electric grill
Electronic programmer
8 functions
Capacity: 104 lt

RIGHT OVEN

Static electric oven
Electric grill
5 functions
Capacity: 41 lt

6 gas burners + 1 fry-top
(2 dual burners)



COOKERS

Monolith

PROFESSIONAL PERFORMANCE

GLEM

TULIPS

SMEG

CABINE

120x60 DOUBLE OVEN

Monolith

MDW80CI

Performance and features

Heavy duty cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MDW80CI

St. steel



LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Electric static oven
Electric grill
5 functions
Turnspit
Capacity: 70 lt



MDW80CI
8 gas burners
(2 triple ring)

120x60 DOUBLE OVEN

Monolith

MDW80CIV

Performance and features

Heavy duty cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MDW80CIV

Cream



LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Electric static oven
Electric grill
5 functions
Turnspit
Capacity: 70 lt



MDW80CIV
8 gas burners
(2 triple ring)

120x60 DOUBLE OVEN

Monolith

MDW80CBR

Performance and features

Heavy duty cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MDW80CBR

Burgundy



LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Electric static oven
Electric grill
5 functions
Turnspit
Capacity: 70 lt



MDW80CBR
8 gas burners
(2 triple ring)

120x60 DOUBLE OVEN

Monolith

MDW80CBL

Performance and features

Heavy duty cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MDW80CBL

Glossy black



LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Electric static oven
Electric grill
5 functions
Turnspit
Capacity: 70 lt



MDW80CBL
8 gas burners
(2 triple ring)

100x60 DOUBLE OVEN

Monolith

MD112CI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD112SI - MD144SI - MD122SI

St. steel

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD112CI - MD144CI - MD122CI

St. steel

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD112SI - MD112CI
5 gas burners
(1 triple ring in the middle)



MD144SI - MD144CI
5 gas burners
(1 triple ring on the left)



MD122SI - MD122CI
6 gas burners
(1 triple ring)

100x60 DOUBLE OVEN

Monolith

MD112CIV

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD112SIV - MD144SIV - MD122SIV

Cream

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD112CIV - MD144CIV - MD122CIV

Cream

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD112SIV - MD112CIV
5 gas burners
(1 triple ring in the middle)



MD144SIV - MD144CIV
5 gas burners
(1 triple ring on the left)



MD122SIV - MD122CIV
6 gas burners
(1 triple ring)

100x60 DOUBLE OVEN

Monolith

MD112CBR

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD112SBR - MD144SBR - MD122SBR

Burgundy

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD112CBR - MD144CBR - MD122CBR

Burgundy

LEFT OVEN
Multifunction electric oven
Electric grill
8 functions
Touch digital programmer
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD112SBR - MD112CBR
5 gas burners
(1 triple ring in the middle)



MD144SBR - MD144CBR
5 gas burners
(1 triple ring on the left)



MD122SBR - MD122CBR
6 gas burners
(1 triple ring)

100x60 DOUBLE OVEN

Monolith

MD112CBL

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD112SBL - MD144SBL - MD122SBL

Glossy black

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD112CBL - MD144CBL - MD122CBL

Glossy black

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD112SBL - MD112CBL
5 gas burners
(1 triple ring in the middle)



MD144SBL - MD144CBL
5 gas burners
(1 triple ring on the left)



MD122SBL - MD122CBL
6 gas burners
(1 triple ring)

90x60 DOUBLE OVEN

Monolith

MD912CI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD912SI - MD944SI - MD922SI

St. steel

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD912CI - MD944CI - MD922CI

St. steel

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD912SI - MD912CI
5 gas burners
(1 triple ring in the middle)



MD944SI - MD944CI
5 gas burners
(1 triple ring on the left)



MD922SI - MD922CI
6 gas burners
(1 triple ring)

90x60 DOUBLE OVEN

Monolith

MD912CIV

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD912SIV - MD944SIV - MD922SIV

Cream

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD912CIV - MD944CIV - MD922CIV

Cream

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD912SIV - MD912CIV
5 gas burners
(1 triple ring in the middle)



MD944SIV - MD944CIV
5 gas burners
(1 triple ring on the left)



MD922SIV - MD922CIV
6 gas burners
(1 triple ring)

90x60 DOUBLE OVEN

Monolith

MD912CBR

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD912SBR - MD944SBR - MD922SBR

Burgundy

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD912CBR - MD944CBR - MD922CBR

Burgundy

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD912SBR - MD912CBR
5 gas burners
(1 triple ring in the middle)



MD944SBR - MD944CBR
5 gas burners
(1 triple ring on the left)



MD922SBR - MD922CBR
6 gas burners
(1 triple ring)

90x60 DOUBLE OVEN

Monolith

MD912CBL

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD912SBL - MD944SBL - MD922SBL

Glossy black

LEFT OVEN
Multifunction gas oven with fan
Gas grill
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Turnspit
Capacity: 40 lt

Touch digital minute minder

MD912CBL - MD944CBL - MD922CBL

Glossy black

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt



MD912SBL - MD912CBL
5 gas burners
(1 triple ring in the middle)



MD944SBL - MD944CBL
5 gas burners
(1 triple ring on the left)



MD922SBL - MD922CBL
6 gas burners
(1 triple ring)

90x60 DOUBLE OVEN WITH VITROCERAMIC TOP

Monolith

MD924CI

Performance and features
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Storage compartment

Safety
Triple glass oven door

Details
StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD924CI
St. steel

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt

MD924CI
5 vitroceramic zones
(high-light)

90x60 DOUBLE OVEN WITH VITROCERAMIC TOP

Monolith

MD924CIV

Performance and features
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Storage compartment

Safety
Triple glass oven door

Details
StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD924CIV
Cream

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt

MD924CIV
5 vitroceramic zones
(high-light)

90x60 DOUBLE OVEN WITH VITROCERAMIC TOP

Monolith

MD924CBR

Performance and features
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Storage compartment

Safety
Triple glass oven door

Details
StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD924CBR
Burgundy

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt

MD924CBR
5 vitroceramic zones
(high-light)

90x60 DOUBLE OVEN WITH VITROCERAMIC TOP

Monolith

MD924CBL

Performance and features
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Storage compartment

Safety
Triple glass oven door

Details
StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

MD924CBL
Glossy black

LEFT OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Turnspit
Capacity: 41 lt

MD924CBL
5 vitroceramic zones
(high-light)

90x60 MAXI OVEN

Monolith

ML912RI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML912RI - ML944RI - ML922RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Touch digital minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 98 lt

ML912VI - ML944VI - ML922VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 104 lt



ML912RI - ML912VI
5 gas burners
(1 triple ring in the middle)



ML944RI - ML944VI
5 gas burners
(1 triple ring on the left)



ML922RI - ML922VI
6 gas burners
(1 triple ring)

90x60 MAXI OVEN

Monolith

ML912RIV

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML912RIV - ML944RIV - ML922RIV

Cream

OVEN
Multifunction gas oven with fan
Gas grill
Touch digital minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 98 lt

ML912VIV - ML944VIV - ML922VIV

Cream

OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 104 lt



ML912RIV - ML912VIV
5 gas burners
(1 triple ring in the middle)



ML944RIV - ML944VIV
5 gas burners
(1 triple ring on the left)



ML922RIV - ML922VIV
6 gas burners
(1 triple ring)

90x60 MAXI OVEN

Monolith

ML912RBR

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML912RBR - ML944RBR - ML922RBR

Burgundy

OVEN
Multifunction gas oven with fan
Gas grill
Touch Digital minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 98 lt

ML912VBR - ML944VBR - ML922VBR

Burgundy

OVEN
Multifunction electric oven
Electric grill
Touch Digital programmer
8 functions
Capacity: 104 lt



ML912RBR - ML912VBR
5 gas burners
(1 triple ring in the middle)



ML944RBR - ML944VBR
5 gas burners
(1 triple ring on the left)



ML922RBR - ML922VBR
6 gas burners
(1 triple ring)

90x60 MAXI OVEN

Monolith

ML912RBL

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment

Safety

Flame failure device
Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML912RBL - ML944RBL - ML922RBL

Glossy black

OVEN
Multifunction gas oven with fan
Gas grill
Touch digital minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 98 lt

ML912VBL - ML944VBL - ML922VBL

Glossy black

OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
8 functions
Capacity: 104 lt



ML912RBL - ML912VBL
5 gas burners
(1 triple ring in the middle)



ML944RBL - ML944VBL
5 gas burners
(1 triple ring on the left)



ML922RBL - ML922VBL
6 gas burners
(1 triple ring)

90x60 MAXI-OVEN WITH VITROCERAMIC TOP

Monolith

ML924VI

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Side columns
Storage compartment

Safety

Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML924VI
St. steel

OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Capacity: 104 lt

ML924VI
5 vitroceramic zones
(high-light)

90x60 MAXI-OVEN WITH VITROCERAMIC TOP

Monolith

ML924VIV

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Side columns
Storage compartment

Safety

Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML924VIV

Cream

OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Capacity: 104 lt

ML924VIV
5 vitroceramic zones
(high-light)

90x60 MAXI-OVEN WITH VITROCERAMIC TOP

Monolith

ML924VBR

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Side columns
Storage compartment

Safety

Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML924VBR

Burgundy

OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Capacity: 104 lt

ML924VBR
5 vitroceramic zones
(high-light)

90x60 MAXI-OVEN WITH VITROCERAMIC TOP

Monolith

ML924VBL

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Side columns
Storage compartment

Safety

Triple glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

ML924VBL
Glossy black

OVEN
Multifunction electric oven
Electric grill
Touch digital programmer
7 functions
Digital programmer
Capacity: 104 lt

ML924VBL
5 vitroceramic zones
(high-light)

COOKERS

Matrix

DESIGN *with* CHARACTER

GLEM

GLEM

100x60 DOUBLE OVEN

Matrix

MF1644CI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MF1644SI

St. steel

LEFT OVEN
Multifunction gas oven with fan
Gas grill
4 functions
Multichef button (fan switch)
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Capacity: 40 lt

Minute minder

5 gas burners
(1 triple ring on the left)



MF1644CI

St. steel

LEFT OVEN
Multifunction electric oven
Electric grill
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Capacity: 41 lt

Minute minder

5 gas burners
(1 triple ring on the left)



90x60 DOUBLE OVEN

Matrix

MF9644SI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MF9644SI

St. steel

LEFT OVEN
Multifunction gas oven with fan
Gas grill
4 functions
Multichef button (fan switch)
Capacity: 65 lt

RIGHT OVEN
Static gas oven
Gas grill
3 functions
Capacity: 40 lt

Minute minder

5 gas burners
(1 triple ring on the left)



MF9644CI

St. steel

LEFT OVEN
Multifunction electric oven
Electric grill
8 functions
Capacity: 67 lt

RIGHT OVEN
Static electric oven
Electric grill
5 functions
Capacity: 41 lt

Minute minder

5 gas burners
(1 triple ring on the left)



100x60 MAXI OVEN

Matrix

MQ1644VI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQ1644VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 120 lt

5 gas burners
(1 triple ring on the left)



90x60 MAXI OVEN

Matrix

MQB644RI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQB644RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 98 lt

5 gas burners
(1 triple ring on the left)



MQB644VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 104 lt

5 gas burners
(1 triple ring on the left)



90x60 MAXI OVEN

Matrix

MQB612RI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQB612RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 98 lt

5 gas burners
(1 triple ring in the middle)



MQB612VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 104 lt

5 gas burners
(1 triple ring in the middle)



90x60 MAXI OVEN WITH VITROCERAMIC TOP

Matrix

MQB624VI

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Side columns
Storage compartment
Adjustable feet

Safety

Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQB624VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
7 functions
Capacity: 104 lt

5 vitroceramic zones
(high-light)

70x60

Matrix

MQ7612RI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Side columns
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQ7612RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

5 gas burners
(1 triple ring in the middle)



MQ7612VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 67 lt

5 gas burners
(1 triple ring in the middle)



60x60 OVEN WITH VITROCERAMIC TOP

Matrix

MQ6623VI

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Storage compartment
Adjustable feet

Safety

Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQ6623VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
7 functions
Capacity: 67 lt

4 vitroceramic zones
(high-light)



60x60

Matrix

MQ6613RI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQ6613RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

4 gas burners
(1 triple ring on the left)



60x60 OVEN

Matrix

MQ6613VI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQ6613VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 67 lt

4 gas burners
(1 triple ring on the left)



50x60

Matrix

MQ5611RI

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQ5611RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

4 gas burners



MQ5611VI

St. steel

OVEN
Multifunction electric oven
Electric grill
8 functions
Capacity: 67 lt

4 gas burners



Matrix

MQ5611RR

Performance and features

Cast iron pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Splashback
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity
Removable inner glass oven door

MQ5611RR

Rustic black

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

4 gas burners



MQ5611VR

Rustic black

OVEN
Multifunction electric oven
Electric grill
8 functions
Capacity: 67 lt

4 gas burners



COOKERS

Unica

FUNCTIONALITY *and* AESTHETIC EVOLUTION

LOOS
AUGUST SARNITZ
GLEM

COMPENDIUM ARCHITECTURAL ANTIQUES

JOSEF HOFFMANN
LOOS
THE UNCOMMON LIFE OF COMMON OBJECTS
Design museum Gent

90x60 MAXI OVEN

Unica



Cast iron pan supports
on request

UN9612RI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN9612RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 112 lt

5 gas burners
(1 triple ring in the middle)



UN9612RX

White

90x60 MAXI OVEN

Unica



Cast iron pan supports
on request

UN9612VI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN9612VI

White

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 120 lt

5 gas burners
(1 triple ring in the middle)



UN9612VX

White

90x60 MAXI OVEN WITH VITROCERAMIC TOP

Unica

UN9624VI

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Storage compartment
Adjustable feet

Safety

Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN9624VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
7 functions
Capacity: 120 lt

5 vitroceramic zones
(high-light)

UN9624VX

White

80x60 MAXI OVEN

Unica



Cast iron pan supports
on request

UN8612RI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN8612RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 98 lt

5 gas burners
(1 triple ring in the middle)



UN8612RX

White

80x60 MAXI OVEN

Unica



Cast iron pan supports
on request

UN8612VI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN8612VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 104 lt

5 gas burners
(1 triple ring in the middle)



UN8612VX

White

80x50 MAXI OVEN

Unica



Cast iron pan supports
on request

UN8512RI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN8512RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 82 lt

5 gas burners
(1 triple ring in the middle)



UN8512RX

White

80x50 MAXI OVEN

Unica



Cast iron pan supports
on request

UN8512VI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN8512VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 87 lt

5 gas burners
(1 triple ring in the middle)



UN8512VX

White

Unica



Cast iron pan supports
on request

UN7612RI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN7612RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

5 gas burners
(1 triple ring in the middle)



UN7612RX

White

70x60

Unica



Cast iron pan supports
on request

UN7612VI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN7612VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 67 lt

5 gas burners
(1 triple ring in the middle)



UN7612VX

White

Unica



Cast iron pan supports
on request

UN6613RI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN6613RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

4 gas burners
(1 triple ring on the left)



UN6613RX

White

60x60

Unica



Cast iron pan supports
on request

UN6613VI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN6613VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 67 lt

4 gas burners
(1 triple ring on the left)



UN6613VX

White

60x60 OVEN WITH VITROCERAMIC TOP

Unica

UN6623VI

Performance and features

Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Storage compartment
Adjustable feet

Safety

Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN6623VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
7 functions
Capacity: 67 lt

4 vitroceramic zones
(high-light)



UN6623VX

White



60x50

Unica



Cast iron pan supports
on request

UN6511RI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN6511RI

St. steel

OVEN
Multifunction gas oven with fan
Gas grill
Minute minder
4 functions
Multichef button (fan switch)
Capacity: 56 lt

4 gas burners



UN6511RX

White

Unica



Cast iron pan supports
on request

UN6511VI

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

StopSol oven door
Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN6511VI

St. steel

OVEN
Multifunction electric oven
Electric grill
Minute minder
8 functions
Capacity: 57 lt

4 gas burners



UN6511VX

White

90x60 MAXI OVEN

Unica



Cast iron pan supports
on request

UN9612VR

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN9612VR

Rustic black

OVEN
Multifunction electric oven
Electric grill
Analogic timer end of cooking
8 functions
Capacity: 120 lt

5 gas burners
(1 triple ring in the middle)



UN9612RR

Rustic black

OVEN
Multifunction gas oven with fan
Gas grill
Analogic timer end of cooking
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 112 lt

5 gas burners
(1 triple ring in the middle)



Unica



Cast iron pan supports
on request

UN6613RR

Performance and features

Premium mat pan supports
One-hand ignition
Tangential cooling fan
Smooth oven cavity with side chrome racks with safety stop
Glass lid
Storage compartment
Adjustable feet

Safety

Flame failure device
Double glass oven door

Details

Full glass oven door with lateral profiles
Easy to clean titanium enamelled oven cavity

UN6613RR

Rustic black

OVEN
Multifunction gas oven with fan
Gas grill
Analogic timer end of cooking
5 functions
Multichef button (fan switch)
Turnspit
Capacity: 65 lt

4 gas burners
(1 triple ring on the left)



UN6613VR

Rustic black

OVEN
Multifunction electric oven
Electric grill
Analogic timer end of cooking
8 functions
Capacity: 67 lt

4 gas burners
(1 triple ring on the left)



TITANIUM ENAMEL - EASY TO CLEAN

Thanks to the low porosity of the titanium enamel, cleaning is so much easier and reduces dirt build up. The titanium enamel is resistant to the attack of acids and maintains its colour over time even after intensive use.

SAFE TOUCH

Thanks to an innovative induced tangential cooling system which exhausts hot air from the rear of the cook top, supplied on the Matrix and Unica models, the operational surface temperatures are reduced.

COLD DOOR

The Monolith model is supplied with a triple-glass that, together with the tangential-flow cooling fan, guarantees lower temperatures on the oven door.

REMOVABLE FULL GLASS DOOR

The glass window is easily removable to allow the cleaning of the internal glass.

TANGENTIAL COOLING FAN

The tangential cooling fan: the hot air is expelled reducing the temperature of the external surface.

MULTIFUNCTION GAS OVEN WITH FAN

Glem has created an innovative oven which combines all the features of a multifunction electric oven with those of a gas oven. The traditional cooking of a gas oven, ideal for roasting and baking, combined with fan forced ventilation provides a great heat distribution for single and multi-level cooking. More recipes prepared in less time and with less energy consumption.

MULTICHEF (FAN SWITCH)

The Multichef button allows you to select between fan assisted or static cooking in gas ovens. This provides great versatility in cooking times and methods. The accurate and constant temperature of the oven browns dishes perfectly and allows you to cook more than one dish simultaneously, optimising the use of the space inside the oven.

SAFETY VALVE

Thermocouple stops the flow of gas in the event of an accidental flame failure. The thermocouple intervenes within 3 seconds of the flame switching off and it is active even in the event of a power cut.

TRIPLE RING BURNER

The special burner with triple ring makes the most of the power and the special form of the burner permits uniformity of the flame. The power of 3.3 kW to 3.8 kW ensures maximum efficiency and faster cooking times.

ENERGY EFFICIENCY CLASS

B C

DUAL BURNER WITH DUAL CONTROL

The dual control means you can adjust the flame for each individual ring at a power of between 0.8 kW and 4.5 kW. It is therefore possible to turn on the central ring or the dual outer ring, or both: for large and small pans, concentrating the heat and energy only where it is needed.

BUILT-IN

All Glem cookers are approved to be built into your kitchen cabinets according to the European Built-in Homologation (UNI EN 30-1-1 class 2). No space required between the bench and the cooker.

LEFT TRIPLE RING BURNER

This is a new layout. We have positioned the triple ring burner (3,6 kW) on the left. The overall functionality of the cook top is perfectly optimised. Even when using a 30 cm diameter pan on the left burner, there is enough clearance for other pans to be used on the other burners.

MAXI GRILL

Thanks to new gas burner the grilling area increased to 75%.

FRYTOP

Frytop metal plate is ideal for frying and bake according to Japanese tradition. The cooking zone of 1.950 W, allows you to prepare or keep food warm both on the middle or on the entire cooking surface. It also has a perfect temperature control as well as an optimal heat distribution for preparing delicate food, low-fat meat, fish and vegetables.

DEFROSTING

Defrost by fan alone reduce by 30% defrost timing of your frozen food.

CRYSTAL LID

Glass crystal lid ensures the protection of the kitchen wall rear the cook top from stains and dirt produced during cooking. In addition it allows you to preserve the cleanliness of your household appliance.

SIDES COLUMNS

Our premium cookers were designed with side columns to underline the solidity of the materials and the strength of these new range ones.

TECHNICAL FEATURES

TECHNICAL FEATURES

The One

		ZFG6821I
Dimension		122x70
Colour		St. Steel (I)
COOK-TOP		
N° gas burners / zone		6+1 frytop
Front Right Burner	kW	3 (rapid)
Front Left burner	kW	4,3 (dual)
Rear Right Burner	kW	4,3 (dual)
Rear Left Burner	kW	1,75 (semirapid)
Central Front Burner	kW	1 (auxiliary)
Central rear Burner	kW	3 (rapid)
Left burner	kW	1,95 (fry top)
SAFETY & IGNITION		
Security valves Hob		•
Electronic ignition Hob		-
Security valves Oven + Grill		-
Electronic ignition Oven + Grill		-
Ignition type		-
Push button		-
One-hand		•
COOK-TOP ACCESSORIES		
Enamelled pan supports		-
Cast Iron pan supports		•
Wok adaptor		-
OVEN		
Oven type		Main oven = Multifunction electric oven Second oven= Static electric oven
FUNCTIONS		
Function selector		9 | 5
Light		• | •
Pizza		- | -
Pre-heating		- | -
Traditional cooking		• | •
Bottom element		- | •
Bottom element + fan		• | -
Upper element		- | •
Grill		- | -
Grill + upper element (double grill)		• | -
Double grill + fan		• | -
Grill + fan		- | -
Static + fan		- | -
Multifunction (circular + fan)		• | -
Defrosting		• | -
Gas		- | -
Grill Gas		- | -
Gas + fan		- | -
Grill gas + fan		- | -
SPECIAL FUNCTIONS		
Light		- | -
Turnspit		• | •
Fan switch		• | -
OVEN CAVITY		
Finishing		TITANIUM EASY CLEAN
Embossed		-
Side chromed racks		YES
CLEANING		
Self cleaning catalityc panel		-
TYPE OF PROGRAMMING		
Minute minder		-
Digital minder		-
Digital programmer		YES
Timer end of cooking		-
Analogical minute minder		-
Analogical timer end of cooking		-
OVEN DOOR		
Enamelled metallic + glass		-
Full glass		YES
Double glass		-
Triple glass		YES
Removable inner glass		-
ACCESSORIES		
Cooling fan		1 | 1
Thermostat		YES
Closed door grilling		-
Oven & Grill separated controls		-
Turnspit		YES
Multichef (fan switch)		-
Oven Light		2 | 1
Wire Shelf		1 | 1
Enamelled tray		1 | 1
Storage Compartment (flip down)		YES (DRAWER)
Adjustable feet (St.steel)		-
Adjustable feet (black)		-
Glass Lid		-
Splash back		-
Telescopic guides		main oven
TECHNICAL FEATURES		
Oven Volume	lt	104 | 41
Energy efficiency		B
Energy consumption (convenctional)	(kW/h)	1,20
Energy consumption (forced)	(kW/h)	1,31
Total Electric Power	kW	-
Voltage/Frequency	V/A	220-240 | 50-60
DIMENSIONS		
H x W x D (cm)		95|96,5x122x70
H x W x D including packaging (cm)		-

ZFG6821I



TECHNICAL FEATURES

Monolith

		MDW80C--	MD112S--	MD112C--	MD144S--
Dimension		120 x 60	100 x 60	100 x 60	100 x 60
Colour		St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)
COOK-TOP					
N° gas burners / zone		4 SR 2 AU 2 TR	1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR
Front Right Burner	kW	Front Left burner(kW): 3,6 (Triple crown) Rear Left Burner(kW) 1,75 (semi-rapid) Front Center left Burner : 1 (auxiliary) Rear Center left burner: 1,75 (semi-rapid) Front Center right burner: 3,6 (Triple crown) Rear Center right burner:: 1,75 (semi-rapid) Front right burner: 1 (auxiliary) Rear right burner: 1,75 (semirapid)	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW		3 (Rapid)	3 (Rapid)	-
Rear Right Burner	kW		1,75 (Semi-rapid)	1,75 (Semi-rapid)	3 (Rapid)
Rear Left Burner	kW		1,75 (Semi-rapid)	1,75 (Semi-rapid)	-
Central Burner	kW		3,6 (Triple ring)	3,6 (Triple ring)	3 (Rapid)
Central rear Burner	kW		-	-	1,75 (Semi-rapid)
Left burner	kW		-	-	3,6 (Triple ring)
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	YES
Electronic ignition Hob		YES	YES	YES	YES
Security valves Oven + Grill		-	YES	-	YES
Electronic ignition Oven + Grill		-	YES	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		YES	YES	YES	YES
Wok adaptor		on request / optional	on request / optional	on request / optional	on request / optional
OVEN					
Oven type		Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill	Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill
FUNCTIONS		big cavity sx | big cavity dx	big cavity | small cavity	big cavity | small cavity	big cavity | small cavity
Function selector		8 | 5	5 | 3	8 | 5	5 | 3
Light		• | • (oven working)	-	• | • (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		• | •	-	• | •	-
Bottom element		- | •	-	- | •	-
Bottom element + fan		• | -	-	• | -	-
Upper element		- | •	-	- | •	-
Grill		• | •	-	• | •	-
Grill + upper element (double grill)		• | -	-	• | -	-
Double grill + fan		• | -	-	• | -	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		• | -	-	• | -	-
Defrosting		• | -	-	• | -	-
Gas		-	• | •	-	• | •
Grill Gas		-	• | •	-	• | •
Gas + fan		-	• | -	-	• | -
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	• | •	-	• | •
Turnspit		- | •	• | •	- | •	• | •
Fan switch		-	• | -	-	• | -
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		-	-	-	-
Digital minder		-	YES (TOUCH)	-	YES (TOUCH)
Digital programmer		YES (TOUCH)	-	YES (TOUCH)	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		-	-	-	-
Triple glass		YES	YES	YES	YES
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		YES, ON RIGHT CAVITY	YES	YES, ON RIGHT CAVITY	YES
Multichef (fan switch)		-	YES	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		2+1	1+1	2+1	1+1
Enamelled tray		1+1	1+1	1+1	1+1
Storage Compartment (flip down)		YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN
Adjustable feet (St.steel)		-	-	-	-
Adjustable feet (black)		-	-	-	-
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	67 | 70	65 | 40	67 | 41	65 | 40
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		1,07	2,23 | 8,01	1,07	2,23 | 8,01
Energy consumption (forced)		1,04	2,29 | 8,26	1,04	2,29 | 8,26
Total Electric Power	kW	4,602	106	3,650	106
Voltage/Frequency	V/A	220-240 / 50-60 / 20A	220-240 / 50-60 / 0.5A	220-240 / 50-60 / 15.9A	220-240 / 50-60 / 0.5A
DIMENSIONS					
H x W x D (cm)		89/91x100x60	89/91x100x60	89/91x100x60	89/91x100x60
H x W x D including packaging (cm)		117x134x75	104x105x70	104x105x70	104x105x70

TECHNICAL FEATURES

Monolith

		MD144C--	MD122S--	MD122C--	MD912S--
Dimension		100 x 60	100 x 60	100 x 60	90 x 60
Colour		St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)
COOK-TOP					
N° gas burners / zone		1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 2 SR, 1 TR	1 AU, 2 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	-	3,6 (Triple ring)	3,6 (Triple ring)	3 (Rapid)
Rear Right Burner	kW	3 (Rapid)	3 (Rapid)	3 (Rapid)	1,75 (Semi-rapid)
Rear Left Burner	kW	-	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Central Burner	kW	3 (Rapid)	3 (Rapid)	3 (Rapid)	3,6 (Triple ring)
Central rear Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	-
Left burner	kW	3,6 (Triple ring)	-	-	-
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	YES
Electronic ignition Hob		YES	YES	YES	YES
Security valves Oven + Grill		-	YES	-	YES
Electronic ignition Oven + Grill		-	YES	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		YES	YES	YES	YES
Wok adaptor		on request / optional	on request / optional	on request / optional	on request / optional
OVEN					
Oven type		Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill	Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill
FUNCTIONS		big cavity | small cavity	big cavity | small cavity	big cavity | small cavity	big cavitiy | small cavity
Function selector		8 | 5	5 | 3	8 | 5	5 | 3
Light		• | • (oven working)	-	• | • (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		• | •	-	• | •	-
Bottom element		- | •	-	- | •	-
Bottom element + fan		• | -	-	• | -	-
Upper element		- | •	-	- | •	-
Grill		• | •	-	• | •	-
Grill + upper element (double grill)		• | -	-	• | -	-
Double grill + fan		• | -	-	• | -	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		• | -	-	• | -	-
Defrosting		• | -	-	• | -	-
Gas		-	• | •	-	• | •
Grill Gas		-	• | •	-	• | •
Gas + fan		-	• | -	-	• | -
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	• | •	-	• | •
Turnspit		- | •	• | •	- | •	• | •
Fan switch		-	• | -	-	• | -
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		-	-	-	-
Digital minder		-	YES (TOUCH)	-	YES (TOUCH)
Digital programmer		YES (TOUCH)	-	YES (TOUCH)	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		-	-	-	-
Triple glass		YES	YES	YES	YES
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		YES, ON RIGHT CAVITY	YES	YES, ON RIGHT CAVITY	YES
Multichef (fan switch)		-	YES	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		2+1	1+1	2+1	1+1
Enamelled tray		1+1	1+1	1+1	1+1
Storage Compartment (flip down)		YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN
Adjustable feet (St.steel)		-	-	-	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	67 | 41	65 | 40	67 | 41	65 | 40
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		1,07	2,23 | 8,01	1,07	2,23 | 8,01
Energy consumption (forced)		1,04	2,29 | 8,26	1,04	2,29 | 8,26
Total Electric Power	kW	3,650	106	3,650	106
Voltage/Frequency	V/A	220-240 / 50-60 / 15.9A	220-240 / 50-60 / 0.5A	220-240 / 50-60 / 15.9A	220-240 / 50-60 / 0.5A
DIMENSIONS					
H x W x D (cm)		89/91x100x60	89/91x100x60	89/91x100x60	89/91x90x60
H x W x D including packaging (cm)		104x105x70	104x105x70	104x105x70	104x95x70

TECHNICAL FEATURES

Monolith

		MD912C--	MD944S--	MD944C--	MD922S--
Dimension		90 x 60	90 x 60	90 x 60	90 x 60
Colour		St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)
COOK-TOP					
N° gas burners / zone		1 AU, 1 RA, 2 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	3 (Rapid)	-	-	3,6 (Triple ring)
Rear Right Burner	kW	1,75 (Semi-rapid)	3 (Rapid)	3 (Rapid)	3 (Rapid)
Rear Left Burner	kW	1,75 (Semi-rapid)	-	-	1,75 (Semi-rapid)
Central Burner	kW	3,6 (Triple ring)	3 (Rapid)	3 (Rapid)	3 (Rapid)
Central rear Burner	kW	-	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Left burner	kW	-	3,6 (Triple ring)	3,6 (Triple ring)	-
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	YES
Electronic ignition Hob		YES	YES	YES	YES
Security valves Oven + Grill		-	YES	-	YES
Electronic ignition Oven + Grill		-	YES	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		YES	YES	YES	YES
Wok adaptor		on request / optional	on request / optional	on request / optional	on request / optional
OVEN					
Oven type		Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill	Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill
FUNCTIONS		big cavitiy | small cavity	big cavitiy | small cavity	big cavitiy | small cavity	big cavitiy | small cavity
Function selector		8 | 5	5 | 3	8 | 5	5 | 3
Light		• | • (oven working)	-	• | • (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		• | •	-	• | •	-
Bottom element		- | •	-	- | •	-
Bottom element + fan		• | -	-	• | -	-
Upper element		- | •	-	- | •	-
Grill		• | •	-	• | •	-
Grill + upper element (double grill)		• | -	-	• | -	-
Double grill + fan		• | -	-	• | -	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		• | -	-	• | -	-
Defrosting		• | -	-	• | -	-
Gas		-	• | •	-	• | •
Grill Gas		-	• | •	-	• | •
Gas + fan		-	• | -	-	• | -
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	• | •	-	• | •
Turnspit		- | •	• | •	- | •	• | •
Fan switch		-	• | -	-	• | -
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		-	-	-	-
Digital minder		-	YES (TOUCH)	-	YES (TOUCH)
Digital programmer		YES (TOUCH)	-	YES (TOUCH)	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		-	-	-	-
Triple glass		YES	YES	YES	YES
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		YES, ON RIGHT CAVITY	YES	YES, ON RIGHT CAVITY	YES
Multichef (fan switch)		-	YES	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		2+1	1+1	2+1	1+1
Enamelled tray		1+1	1+1	1+1	1+1
Storage Compartment (flip down)		YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN
Adjustable feet (St.steel)		YES	YES	YES	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	67 | 41	65 | 40	67 | 41	65 | 40
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		1,07	2,23 | 8,01	1,07	2,23 | 8,01
Energy consumption (forced)		1,04	2,29 | 8,26	1,04	2,29 | 8,26
Total Electric Power	kW	3,650	106	3,650	106
Voltage/Frequency	V/A	220-240 / 50-60 / 15.9A	220-240 / 50-60 / 0.5A	220-240 / 50-60 / 15.9A	220-240 / 50-60 / 0.5A
DIMENSIONS					
H x W x D (cm)		89/91x90x60	89/91x90x60	89/91x90x60	89/91x90x60
H x W x D including packaging (cm)		104x95x70	104x95x70	104x95x70	104x95x70

TECHNICAL FEATURES

Monolith

		MD922C--	MD924C--	ML912R--	ML912V--
Dimension		90 x 60	90 x 60	90 x 60	90 x 60
Colour		St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)
COOK-TOP					
N° gas burners / zone		1 AU, 2 RA, 2 SR, 1 TR	see below	1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	HighLight d.14,5 - 1200 W	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	3,6 (Triple ring)	HighLight d.12 / 21 cm - 700/2100W	3 (Rapid)	3 (Rapid)
Rear Right Burner	kW	3 (Rapid)	HighLight d.21 / 2200 W	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Rear Left Burner	kW	1,75 (Semi-rapid)	HighLight d.14,5 - 1200 W	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Central Burner	kW	3 (Rapid)	HighLight d.17 / 26,5 - 1400/2200 W	3,6 (Triple ring)	3,6 (Triple ring)
Central rear Burner	kW	1,75 (Semi-rapid)	-	-	-
Left burner	kW	-	-	-	-
SAFETY & IGNITION					
Security valves Hob		YES	-	YES	YES
Electronic ignition Hob		YES	-	YES	YES
Security valves Oven + Grill		-	-	YES	-
Electronic ignition Oven + Grill		-	-	YES	-
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	-	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		YES	-	YES	YES
Wok adaptor		on request / optional	-	on request / optional	on request / optional
OVEN					
Oven type		Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction electric oven Second oven= Static electric oven	Multifunction gas oven with fan	Multifunction electric oven
FUNCTIONS		big cavitiy | small cavity			
Function selector		8 | 5	8 | 5	5	8
Light		• | • (oven working)	• | • (oven working)	-	• (oven working)
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		• | •	• | •	-	•
Bottom element		- | •	- | •	-	-
Bottom element + fan		• | -	• | -	-	•
Upper element		- | •	- | •	-	-
Grill		• | •	• | •	-	•
Grill + upper element (double grill)		• | -	• | -	-	•
Double grill + fan		• | -	• | -	-	•
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		• | -	• | -	-	•
Defrosting		• | -	• | -	-	•
Gas		-	-	•	-
Grill Gas		-	-	•	-
Gas + fan		-	-	•	-
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	-	•	-
Turnspit		- | •	- | •	•	-
Fan switch		-	-	•	-
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		-	-	-	-
Digital minder		-	-	YES (TOUCH)	-
Digital programmer		YES (TOUCH)	YES (TOUCH)	-	YES (TOUCH)
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		-	-	-	-
Triple glass		YES	YES	YES	YES
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		YES, ON RIGHT CAVITY	YES, ON RIGHT CAVITY	YES	
Multichef (fan switch)		-	-	YES	
Oven Light		YES	YES	YES	YES
Wire Shelf		2+1	2+1	1	2
Enamelled tray		1+1	1+1	1	1
Storage Compartment (flip down)		YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN
Adjustable feet (St.steel)		YES	YES	-	-
Adjustable feet (black)		-	-	-	-
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	67 | 41	67 | 41	98	104
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		1,07	1,07	2,61 | 9,41	1,20
Energy consumption (forced)		1,04	1,04	3,08 | 11,10	1,31
Total Electric Power	kW	3,650	3,650	69	2515
Voltage/Frequency	V/A	220-240 / 50-60 / 15.9A	220-240 / 50-60 / 15.9A	220-240 / 50-60 / 0.3A	220-240 / 50-60 / 10.9A
DIMENSIONS					
H x W x D (cm)		89/91x90x60	89/91x90x60	89/91x90x60	89/91x90x60
H x W x D including packaging (cm)		104x95x70	104x95x70	104x95x70	104x95x70

TECHNICAL FEATURES

Monolith

		ML944R--	ML944V--	ML922R--	ML922V--	ML924V--
Dimension		90 x 60	90 x 60	90 x 60	90 x 60	90 x 60
Colour		St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)	St. Steel (I) - Cream (IV) - Burgundy (BR) - Glossy Black (BL)
COOK-TOP						
N° gas burners / zone		1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 2 SR, 1 TR	1 AU, 2 RA, 2 SR, 1 TR	see below
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	HighLight d.14,5 - 1200 W
Front Left burner	kW	-	-	3,6 (Triple ring)	3,6 (Triple ring)	HighLight d.12 / 21 cm - 700/2100 W
Rear Right Burner	kW	3 (Rapid)	3 (Rapid)	3 (Rapid)	3 (Rapid)	HighLight d.21 / 2200 W
Rear Left Burner	kW	-	-	1,75 (Semi-rapid)	1,75 (Semi-rapid)	HighLight d.14,5 - 1200 W
Central Burner	kW	3 (Rapid)	3 (Rapid)	3 (Rapid)	3 (Rapid)	HighLight d.17 / 26,5 - 1400/2200 W
Central rear Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	-
Left burner	kW	3,6 (Triple ring)	3,6 (Triple ring)	-	-	-
SAFETY & IGNITION						
Security valves Hob		YES	YES	YES	YES	-
Electronic ignition Hob		YES	YES	YES	YES	-
Security valves Oven + Grill		YES	-	YES	-	-
Electronic ignition Oven + Grill		YES	-	YES	-	-
Ignition type		-	-	-	-	-
Push button		-	-	-	-	-
One-hand		YES	YES	YES	YES	-
COOK-TOP ACCESSORIES						
Enamelled pan supports		-	-	-	-	-
Cast Iron pan supports		YES	YES	YES	YES	-
Wok adaptor		on request / optional	on request / optional	on request / optional	on request / optional	-
OVEN						
Oven type		Multifunction gas oven with fan	Multifunction electric oven	Multifunction gas oven with fan	Multifunction electric oven	Multifunction electric oven
FUNCTIONS						
Function selector		5	8	5	8	8
Light		-	• (oven working)	-	• (oven working)	• (oven working)
Pizza		-	-	-	-	-
Pre-heating		-	-	-	-	-
Traditional cooking		-	•	-	•	•
Bottom element		-	-	-	-	-
Bottom element + fan		-	•	-	•	•
Upper element		-	-	-	-	-
Grill		-	•	-	•	•
Grill + upper element (double grill)		-	•	-	•	•
Double grill + fan		-	•	-	•	•
Grill + fan		-	-	-	-	-
Static + fan		-	-	-	-	-
Multifunction (circular + fan)		-	•	-	•	•
Defrosting		-	•	-	•	•
Gas		•	-	•	-	-
Grill Gas		•	-	•	-	-
Gas + fan		•	-	•	-	-
Grill gas + fan		-	-	-	-	-
SPECIAL FUNCTIONS						
Light		•	-	•	-	-
Turnspit		•	-	•	-	-
Fan switch		•	-	•	-	-
OVEN CAVITY						
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-	-
Side chromed racks		YES	YES	YES	YES	YES
CLEANING						
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING						
Minute minder		-	-	-	-	-
Digital minder		YES (TOUCH)	-	YES (TOUCH)	-	-
Digital programmer		-	YES (TOUCH)	-	YES (TOUCH)	YES (TOUCH)
Timer end of cooking		-	-	-	-	-
Analogical minute minder		-	-	-	-	-
Analogical timer end of cooking		-	-	-	-	-
OVEN DOOR						
Enamelled metallic + glass		-	-	-	-	-
Full glass		YES	YES	YES	YES	YES
Double glass		-	-	-	-	-
Triple glass		YES	YES	YES	YES	YES
Removable inner glass		-	-	-	-	-
ACCESSORIES						
Cooling fan		YES	YES	YES	YES	YES
Thermostat		YES	YES	YES	YES	YES
Closed door grilling		-	-	-	-	-
Oven & Grill separated controls		-	-	-	-	-
Turnspit		YES	-	YES	-	-
Multichef (fan switch)		YES	-	-	-	-
Oven Light		YES	YES	YES	YES	YES
Wire Shelf		1	2	1	2	2
Enamelled tray		1	1	1	1	1
Storage Compartment (flip down)		YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN	YES - FLIP DOWN
Adjustable feet (St.steel)		-	-	-	-	-
Adjustable feet (black)		-	-	-	-	-
Glass Lid		-	-	-	-	-
Splash back		YES	YES	YES	YES	YES
TECHNICAL FEATURES						
Oven Volume	lt	98	104	98	104	104
Energy efficiency		B	B	B	B	B
Energy consumption (convenctional)		2,61 | 9,41	1,20	2,61 | 9,41	1,20	1,20
Energy consumption (forced)		3,08 | 11,10	1,31	3,08 | 11,10	1,31	1,31
Total Electric Power	kW	69	2515	69	2515	11415
Voltage/Frequency	V/A	220-240 / 50-60 / 0.3A	220-240 / 50-60 / 10.9A	220-240 / 50-60 / 0.3A	220-240 / 50-60 / 10.9A	220-240 / 50-60 / 49.6A
DIMENSIONS						
H x W x D (cm)		89/91x90x60	89/91x90x60	89/91x90x60	89/91x90x60	89/91x90x60
H x W x D including packaging (cm)		104x95x70	104x95x70	104x95x70	104x95x70	104x95x70

Monolith

120x60 DOUBLE OVEN



90x60 DOUBLE OVEN WITH VITROCERAMIC TOP



100x60 DOUBLE OVEN



90x60 MAXI OVEN



90x60 DOUBLE OVEN



90x60 MAXI OVEN WITH VITROCERAMIC TOP



TECHNICAL FEATURES

Matrix

		MF1644SI	MF1644CI	MF9644SI	MF9644CI
Dimension		100 x 60	100x60	90x60	90x60
Colour		St. Steel	St.steel	St.steel	St.steel
COOK-TOP					
N° gas burners / zone		1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	-	-	-	-
Rear Right Burner	kW	3 (rapid)	3 (Rapid)	3 (Rapid)	3 (Rapid)
Rear Left Burner	kW	-	-	-	-
Central Burner	kW	3 (rapid)	3 (Rapid)	3 (Rapid)	3 (Rapid)
Central rear Burner	kW	1,75 (semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Left burner	kW	3,6 (triple ring)	3,6 (Triple ring)	3,6 (Triple ring)	3,6 (Triple ring)
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	YES
Electronic ignition Hob		YES	YES	YES	YES
Security valves Oven + Grill		YES	-	YES	-
Electronic ignition Oven + Grill		YES	-	YES	-
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		YES	YES	YES	YES
Wok adaptor		-	-	-	-
OVEN					
Oven type		Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill	Main oven = Multifunction electric oven Second oven= Static electric oven	Main oven = Multifunction gas oven with fan Second oven= Static gas oven - gas grill	Main oven = Multifunction electric oven Second oven= Static electric oven
FUNCTIONS					
Function selector		4 | 3	8 | 5	4 | 3	8| 5
Light		-	• | • (oven working)	-	• | • (oven working)
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		-	• | •	-	• | •
Bottom element		-	- | •	-	- | •
Bottom element + fan		-	• | -	-	• | -
Upper element		-	- | •	-	- | •
Grill		-	• | •	-	• | •
Grill + upper element (double grill)		-	• | -	-	• | -
Double grill + fan		-	• | -	-	• | -
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		-	• | -	-	• | -
Defrosting		-	• | -	-	• | -
Gas		• | •	-	• | •	-
Grill Gas		• | •	-	• | •	-
Gas + fan		• | -	-	• | -	-
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		• | •	-	• | •	-
Turnspit		-	-	-	-
Fan switch		• | -	-	• | -	-
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	YES	YES
Digital minder		on request / optional	-	on request / optional	-
Digital programmer		-	on request / optional	-	on request / optional
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		on request / optional	on request / optional	on request / optional	on request / optional
Removable inner glass		YES	YES	YES	YES
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		-	on request / optional	-	on request / optional
Multichef (fan switch)		YES	-	YES	-
Oven Light		YES	YES	YES	YES
Wire Shelf		1+1	2+1	1+1	2+1
Enamelled tray		1+1	1+1	1+1	1+1
Storage Compartment (flip down)		YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN
Adjustable feet (St.steel)		YES	YES	YES	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	65 | 40	67 | 41	65 | 40	67 | 41
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		2,23 / 8,01	1,07	2,23 / 8,01	1,07
Energy consumption (forced)		2,29 / 8,26	1,04	2,29 / 8,26	1,04
Total Electric Power	kW	98	3598	98	3598
Voltage/Frequency	V/A	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60
DIMENSIONS					
H x W x D (cm)		85/90x100x60	85/90x100x60	85/90x90x60	85/90x90x60
H x W x D including packaging (cm)		98,5x105,5x69,5	98,5x105,5x69,5	98,5x105,5x69,5	98,5x105,5x69,5

TECHNICAL FEATURES

Matrix

		MQ1644VI	MQB644RI	MQB644VI	MQB612RI
Dimension		100 x 60	90 x 60	90 x 60	90 x 60
Colour		St. Steel	St. Steel	St. Steel	St. Steel
COOK-TOP					
N° gas burners / zone		1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR	1 AU, 2 RA, 1 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	-	-	-	3 (Rapid)
Rear Right Burner	kW	3 (Rapid)	3 (Rapid)	3 (Rapid)	1,75 (Semi-rapid)
Rear Left Burner	kW	-	-	-	1,75 (Semi-rapid)
Central Burner	kW	3 (Rapid)	3 (Rapid)	3 (Rapid)	3,6 (Triple ring)
Central rear Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	-
Left burner	kW	3,6 (Triple ring)	3,6 (Triple ring)	3,6 (Triple ring)	-
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	YES
Electronic ignition Hob		YES	YES	YES	YES
Security valves Oven + Grill		-	YES	-	YES
Electronic ignition Oven + Grill		-	YES	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		YES	YES	YES	YES
Wok adaptor		-	-	-	-
OVEN					
Oven type		Multifunction electric oven	Multifunction gas oven with fan	Multifunction electric oven	Multifunction gas oven with fan
FUNCTIONS					
Function selector		8	5	8	5
Light		• | • (oven working)	-	• | • (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		•	-	•	-
Bottom element		-	-	-	-
Bottom element + fan		•	-	•	-
Upper element		-	-	-	-
Grill		•	-	•	-
Grill + upper element (double grill)		•	-	•	-
Double grill + fan		•	-	•	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		•	-	•	-
Defrosting		•	-	•	-
Gas		-	•	-	•
Grill Gas		-	•	-	•
Gas + fan		-	•	-	•
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	•	-	•
Turnspit		-	•	-	•
Fan switch		-	•	-	•
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	YES	YES
Digital minder		-	on request / optional	-	on request / optional
Digital programmer		on request / optional	-	on request / optional	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		on request / optional	on request / optional	on request / optional	on request / optional
Removable inner glass		YES	YES	YES	YES
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		on request / optional	YES	on request / optional	YES
Multichef (fan switch)		-	YES	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		2	1	2	1
Enamelled tray		1	1	1	1
Storage Compartment (flip down)		YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN
Adjustable feet (St.steel)		YES	YES	YES	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	120	98	104	98
Energy efficiency		C	B	B	B
Energy consumption (convenctional)		1,52	2,61 / 9,41	1,20	2,61 / 9,41
Energy consumption (forced)		1,62	3,08 / 11,10	1,31	3,08 / 11,10
Total Electric Power	kW	2515	69	2515	69
Voltage/Frequency	V/A	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60
DIMENSIONS					
H x W x D (cm)		85/90x100x60	85/90x90x60	85/90x90x60	85/90x90x60
H x W x D including packaging (cm)		98,5x105,5x69,5	88,5x95,5x69,5	88,5x95,5x69,5	88,5x95,5x69,5

TECHNICAL FEATURES

Matrix

		MQB612VI	MQB624VI	MQ7612VI	MQ7612RI
Dimension		90 x 60	90 x 60	70 x 60	70 x 60
Colour		St. Steel	St. Steel	St. Steel	St. Steel
COOK-TOP					
N° gas burners / zone		1 AU, 1 RA, 2 SR, 1 TR	see below / vedi sotto	1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	HighLight d.14,5 - 1200 W	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	3 (Rapid)	HighLight d.12 / 21 cm - 700/2100 W	3 (Rapid)	3 (Rapid)
Rear Right Burner	kW	1,75 (Semi-rapid)	HighLight d.21 / 2200 W	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Rear Left Burner	kW	1,75 (Semi-rapid)	HighLight d.14,5 - 1200 W	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Central Burner	kW	3,6 (Triple ring)	HighLight d.17 / 26,5 - 1400/2200 W	3,6 (Triple ring)	3,6 (Triple ring)
Central rear Burner	kW	-	-	-	-
Left burner	kW	-	-	-	-
SAFETY & IGNITION					
Security valves Hob		YES	-	YES	YES
Electronic ignition Hob		YES	-	YES	YES
Security valves Oven + Grill		-	-	-	YES
Electronic ignition Oven + Grill		-	-	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		YES	-	YES	YES
Wok adaptor		-	-	-	-
OVEN					
Oven type		Multifunction electric oven	Multifunction electric oven	Multifunction electric oven	Multifunction gas oven with fan
FUNCTIONS					
Function selector		8	8	8	5
Light		• | • (oven working)	• | • (oven working)	• | • (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		•	•	•	-
Bottom element		-	-	-	-
Bottom element + fan		•	•	•	-
Upper element		-	-	-	-
Grill		•	•	•	-
Grill + upper element (double grill)		•	•	•	-
Double grill + fan		•	•	•	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		•	•	•	-
Defrosting		•	•	•	-
Gas		-	-	-	•
Grill Gas		-	-	-	•
Gas + fan		-	-	-	•
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	-	-	•
Turnspit		-	-	-	•
Fan switch		-	-	-	•
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	YES	YES
Digital minder		-	-	-	on request / optional
Digital programmer		on request / optional	on request / optional	on request / optional	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		on request / optional	on request / optional	on request / optional	on request / optional
Removable inner glass		YES	YES	YES	YES
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		on request / optional	on request / optional	on request / optional	YES
Multichef (fan switch)		-	-	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		2	2	2	1
Enamelled tray		1	1	1	1
Storage Compartment (flip down)		YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN
Adjustable feet (St.steel)		YES	YES	YES	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	104	104	67	65
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		1,20	1,20	0,98	2,23 / 8,01
Energy consumption (forced)		1,31	1,31	1,05	2,29 / 8,26
Total Electric Power	kW	2515	11415	2315	69
Voltage/Frequency	V/A	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60
DIMENSIONS					
H x W x D (cm)		85/90x90x60	85/90x90x60	85/90x70x60	85/90x70x60
H x W x D including packaging (cm)		88,5x95,5x69,5	88,5x95,5x69,5	88,5x75,5x69,5	88,5x75,5x69,5

TECHNICAL FEATURES

Matrix

		MQ6623VI	MQ6613RI	MQ6613VI	MQ5611RR
Dimension		60 x 60	60 x 60	60 x 60	50 x 60
Colour		St. Steel	St. Steel	St. Steel	Rustic Black
COOK-TOP					
N° gas burners / zone		vedi sotto	1 AU 2 SR 1 TC	1 AU 2 SR 1 TC	1 AU, 2 SR, 1 RA
Front Right Burner	kW	HighLight d.14,5 - 1200 W	1 (auxiliary)	1 (auxiliary)	1 (ausiliary)
Front Left burner	kW	HighLight d.12 / 21 cm - 700/2100 W	3,6 (Triple ring)	3,6 (Triple ring)	3 (rapid)
Rear Right Burner	kW	HighLight d.17 / 26,5 - 1400/2200 W	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (semirapid)
Rear Left Burner	kW	HighLight d.14,5 - 1200 W	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (semirapid)
Central Burner	kW	-	-	-	
Central rear Burner	kW	-	-	-	
Left burner	kW	-	-	-	
SAFETY & IGNITION					
Security valves Hob		-	YES	YES	YES
Electronic ignition Hob		-	YES	YES	YES
Security valves Oven + Grill		-	YES	-	YES
Electronic ignition Oven + Grill		-	YES	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		-	YES	YES	YES
COOK-TOP ACCESSORIES					
Enamelled pan supports		-	-	-	-
Cast Iron pan supports		-	YES	YES	YES
Wok adaptor		-	-	-	-
OVEN					
Oven type		Multifunction electric oven	Multifunction gas oven with fan	Multifunction electric oven	Multifunction gas oven with fan
FUNCTIONS					
Function selector		8	5	8	5
Light		• | • (oven working)	-	• | • (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		•	-	•	-
Bottom element		-	-	-	-
Bottom element + fan		•	-	•	-
Upper element		-	-	-	-
Grill		•	-	•	-
Grill + upper element (double grill)		•	-	•	-
Double grill + fan		•	-	•	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		•	-	•	-
Defrosting		•	-	•	-
Gas		-	•	-	•
Grill Gas		-	•	-	•
Gas + fan		-	•	-	•
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	•	-	•
Turnspit		-	•	-	•
Fan switch		-	•	-	•
OVEN CAVITY					
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	YES	YES
Digital minder		-	on request / optional	-	-
Digital programmer		on request / optional	-	on request / optional	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		on request / optional	on request / optional	on request / optional	-
Removable inner glass		YES	YES	YES	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		on request / optional	YES	on request / optional	YES
Multichef (fan switch)		-	YES	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		2	1	2	1
Enamelled tray		1	1	1	1
Storage Compartment (flip down)		YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN	YES - FLIPDOWN
Adjustable feet (St.steel)		YES	YES	YES	-
Adjustable feet (black)		-	-	-	YES
Glass Lid		-	-	-	-
Splash back		YES	YES	YES	YES
TECHNICAL FEATURES					
Oven Volume	lt	67	65	67	65
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		0,98	2,23 / 8,01	0,98	2,23 / 8,01
Energy consumption (forced)		1,05	2,29 / 8,26	1,05	2,29 / 8,26
Total Electric Power	kW	9015	69	2315	69
Voltage/Frequency	V/A	220-240 / 50-60	220-240 / 50-60	220-240 / 50-60	220-240V 50/60Hz 0,3A
DIMENSIONS					
H x W x D (cm)		85/90x60x60	85/90x60x60	85/90x60x60	85/90x53x60
H x W x D including packaging (cm)		88,5x65,5x69,5	88,5x65,5x69,5	88,5x65,5x69,5	85x65x67

TECHNICAL FEATURES

Matrix

		MQ5611VR	MQ5611RI	MQ5611VI
Dimension		50 x 60	50 x 60	50 x 60
Colour		Rustic Black	St. Steel	St. Steel
COOK-TOP				
N° gas burners / zone		1 AU, 2 SR, 1 RA	1 AU, 2 SR, 1 RA	1 AU, 2 SR, 1 RA
Front Right Burner	kW	1 (ausiliary)	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	3 (rapid)	3 (Rapid)	3 (Rapid)
Rear Right Burner	kW	1,75 (semirapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Rear Left Burner	kW	1,75 (semirapid)	1,75 (semirapido)	1,75 (semirapido)
Central Burner	kW		-	-
Central rear Burner	kW		-	-
Left burner	kW		-	-
SAFETY & IGNITION				
Security valves Hob		YES	YES	YES
Electronic ignition Hob		YES	YES	YES
Security valves Oven + Grill		YES	YES	-
Electronic ignition Oven + Grill		YES	YES	-
Ignition type		-	-	-
Push button		-	-	-
One-hand		YES	YES	YES
COOK-TOP ACCESSORIES			-	-
Enamelled pan supports		-	-	-
Cast Iron pan supports		YES	YES	YES
Wok adaptor		-	-	-
OVEN				
Oven type		Multifunction electric oven	Multifunction gas oven with fan	Multifunction electric oven
FUNCTIONS				
Function selector		8	5	8
Light		• | • (oven working)	-	• | • (oven working)
Pizza		-	-	-
Pre-heating		-	-	-
Traditional cooking		•	-	•
Bottom element		-	-	-
Bottom element + fan		•	-	•
Upper element		-	-	-
Grill		•	-	•
Grill + upper element (double grill)		•	-	•
Double grill + fan		•	-	•
Grill + fan		-	-	-
Static + fan		-	-	-
Multifunction (circular + fan)		•	-	•
Defrosting		•	-	•
Gas		-	•	-
Grill Gas		-	•	-
Gas + fan		-	•	-
Grill gas + fan		-	-	-
SPECIAL FUNCTIONS				
Light		-	•	-
Turnspit		-	•	-
Fan switch		-	•	-
OVEN CAVITY				
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed				
Side chromed racks		YES	X	X
CLEANING				
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING				
Minute minder		YES	YES	YES
Digital minder		-	-	-
Digital programmer		-	-	-
Timer end of cooking		-	-	-
Analogical minute minder		-	-	-
Analogical timer end of cooking		-	-	-
OVEN DOOR				
Enamelled metallic + glass		-	-	-
Full glass		YES	YES	YES
Double glass		YES	YES	YES
Triple glass		-	-	-
Removable inner glass		-	-	-
ACCESSORIES				
Cooling fan		YES	YES	YES
Thermostat		YES	YES	YES
Closed door grilling		-	-	-
Oven & Grill separated controls		-	-	-
Turnspit		on request / optional	YES	-
Multichef (fan switch)		-	YES	-
Oven Light		YES	YES	YES
Wire Shelf		2	1	2
Enamelled tray		1	1	1
Storage Compartment (flip down)		YES - FLIPDOWN	YES	YES
Adjustable feet (St.steel)		-	YES	YES
Adjustable feet (black)		YES	-	-
Glass Lid		-	-	-
Splash back		YES	YES	YES
TECHNICAL FEATURES				
Oven Volume	lt	67	65	67
Energy efficiency		B	B	B
Energy consumption (convenctional)		0,98	2,23 / 8,01	0,98
Energy consumption (forced)		1,05	2,29 / 8,26	1,05
Total Electric Power	kW	2315	69	2315
Voltage/Frequency	V/A	220-240V 50/60Hz 10,1A	220-240V 50/60Hz 0,3A	220-240V 50/60Hz 10,1A
DIMENSIONS				
H x W x D (cm)		85/90x53x60	85/90x53x60	85/90x53x60
H x W x D including packaging (cm)		85x65x67	85x65x67	85x65x67

TECHNICAL DESIGNS

Matrix

100x60 DOUBLE OVEN



90x60 DOUBLE OVEN



100x60 MAXI OVEN



70x60



90x60 MAXI OVEN



60x60



50x60



TECHNICAL FEATURES

Unica

		UN9612R-	UN9612V-	UN9624V-	UN8612R-
Dimension		90 x 60	90 x 60	90 x 60	80 x 60
Colour		St. steel (I) - White (X)	St. steel (I) - White (X)	St. steel (I) - White (X)	St. steel (I) - White (X)
COOK-TOP					
N° gas burners / zone		1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR	5 ZONE VTC HIGHLIGHT (24)	1 AU, 1 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	HighLight d.14,5 - 1200 W	1 (auxiliary)
Front Left burner	kW	3 (Rapid)	3 (Rapid)	HighLight d.12 / 21 cm - 700/2100 W	3 (Rapid)
Rear Right Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	HighLight d.21 / 2200 W	1,75 (Semi-rapid)
Rear Left Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	HighLight d.14,5 - 1200 W	1,75 (Semi-rapid)
Central Burner	kW	3,6 (Triple ring)	3,6 (Triple ring)	HighLight d.17 / 26,5 - 1400/2200 W	3,6 (Triple ring)
Central rear Burner	kW	-	-	-	-
Left burner	kW	-	-	-	-
SAFETY & IGNITION					
Security valves Hob		YES	YES	-	YES
Electronic ignition Hob		YES	YES	-	YES
Security valves Oven + Grill		YES	-	-	YES
Electronic ignition Oven + Grill		YES	-	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	-	YES
COOK-TOP ACCESSORIES		-	-	-	-
Enamelled pan supports		YES	YES	-	YES
Cast Iron pan supports		on request / optional	on request / optional	-	Non request / optional
Wok adaptor		on request / optional	on request / optional	-	on request / optional
OVEN					
Oven type		Multifunction gas oven with fan	Multifunction electric oven	Multifunction electric oven	Multifunction gas oven with fan
FUNCTIONS					
Function selector		5	8	8	5
Light		-	• (oven working)	• (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		-	•	•	-
Bottom element		-		-	-
Bottom element + fan		-	•	•	-
Upper element		-		-	-
Grill		-	•	•	-
Grill + upper element (double grill)		-	•	•	-
Double grill + fan		-	•	•	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		-	•	•	-
Defrosting		-	•	•	-
Gas		•	-	-	•
Grill Gas		•	-	-	•
Gas + fan		•	-	-	•
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		•	-	-	•
Turnspit		•	-	-	•
Fan switch		•	-	-	•
OVEN CAVITY					
Finishing		-	-	-	-
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	YES	YES
Digital minder		-	-	-	-
Digital programmer		-	on request / optional	on request / optional	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		-	-	-	-
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		YES	on request / optional	on request / optional	YES
Multichef (fan switch)		YES	-	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		1	2	2	1
Enamelled tray		1	1	1	1
Storage Compartment (flip down)		YES	YES	YES	YES
Adjustable feet (St.steel)		YES	YES	YES	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		YES	YES	-	YES
Splash back		-	-	-	-
TECHNICAL FEATURES					
Oven Volume	lt	112	120	120	98
Energy efficiency		B	C	C	B
Energy consumption (convenctional)		2,72 / 9,80	1,52	1,52	2,61 / 9,41
Energy consumption (forced)		2,88 / 10,37	1,62	1,62	3,08 / 11,10
Total Electric Power	kW	69	2515	11415	69
Voltage/Frequency	V/A	220-240V 50/60Hz 0,3A	220-240V 50/60Hz 10,9A	220-240V 50/60Hz 49.6A	220-240V 50/60Hz 0,3A
DIMENSIONS					
H x W x D (cm)		85/90X90X60	85/90X90X60	85/90X90X60	85/90X80X60
H x W x D including packaging (cm)		85X95X67	85X95X67	85X95X67	85X85X67

TECHNICAL FEATURES

Unica

		UN8612V-	UN8512R-	UN8512V-	UN7612R-
Dimension		80 x 60	80 x 50	80 x 50	70 x 60
Colour		St. steel (I) - White (X)	St. steel (I) - White (X)	St. steel (I) - White (X)	St. steel (I) - White (X)
COOK-TOP					
N° gas burners / zone		1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)
Front Left burner	kW	3 (Rapid)	3 (Rapid)	3 (Rapid)	3 (Rapid)
Rear Right Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Rear Left Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)
Central Burner	kW	3,6 (Triple ring)	3,6 (Triple ring)	3,6 (Triple ring)	3,6 (Triple ring)
Central rear Burner	kW	-	-	-	-
Left burner	kW	-	-	-	-
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	YES
Electronic ignition Hob		YES	YES	YES	YES
Security valves Oven + Grill		-	YES	-	YES
Electronic ignition Oven + Grill		-	YES	-	YES
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES		-	-	-	-
Enamelled pan supports		YES	YES	YES	YES
Cast Iron pan supports		Non request / optional	on request / optional	on request / optional	on request / optional
Wok adaptor		on request / optional	on request / optional	on request / optional	on request / optional
OVEN					
Oven type		Multifunction electric oven	Multifunction gas oven with fan	Multifunction electric oven	Multifunction gas oven with fan
FUNCTIONS					
Function selector		8	-	8	-
Light		• (oven working)	-	• (oven working)	-
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		•	-	•	-
Bottom element		-	-	-	-
Bottom element + fan		•	-	•	-
Upper element		-	-		-
Grill		•	-	•	-
Grill + upper element (double grill)		•	-	•	-
Double grill + fan		•	-	•	-
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		•	-	•	-
Defrosting		•	-	•	-
Gas		-	•	-	•
Grill Gas		-	•	-	•
Gas + fan		-	•	-	•
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	•	-	•
Turnspit		-	•	-	•
Fan switch		-	•	-	•
OVEN CAVITY					
Finishing		-	-	-	-
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	YES	YES
Digital minder		-	-	-	-
Digital programmer		on request / optional	-	on request / optional	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		-	-	-	-
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		on request / optional	YES	on request / optional	YES
Multichef (fan switch)		-	YES	-	YES
Oven Light		YES	YES	YES	YES
Wire Shelf		2	1	2	1
Enamelled tray		1	1	1	1
Storage Compartment (flip down)		YES	YES	YES	YES
Adjustable feet (St.steel)		YES	YES	YES	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		YES	YES	YES	YES
Splash back		-	-	-	-
TECHNICAL FEATURES					
Oven Volume	lt	104	82	87	65
Energy efficiency		B	C	B	B
Energy consumption (convenctional)		1,20	2,60 / 9,37	1,20	2,23 / 8,01
Energy consumption (forced)		1,31	2,91 / 10,49	1,31	2,29 / 8,26
Total Electric Power	kW	2515	62	2508	62
Voltage/Frequency	V/A	220-240V 50/60Hz 10,9A	220-240V 50/60Hz 0,3A	220-240V 50/60Hz 10,9A	220-240V 50/60Hz 0,3A
DIMENSIONS					
H x W x D (cm)		85/90X80X60	85/90X80X50	85/90X80X50	85/90x70x60
H x W x D including packaging (cm)		85X85X67	85X85X57	85X85X57	85x75x67

TECHNICAL FEATURES

Unica

		UN7612V-	UN6613R-	UN6613V-	UN6623V-
Dimension		70 x 60	60 x 60	60 x 60	60 x 60
Colour		St. steel (I) - White (X)	St. steel (I) - White (X)	St. steel (I) - White (X)	St. steel (I) - White (X)
COOK-TOP					
N° gas burners / zone		1 AU, 1 RA, 2 SR, 1 TR	1 AU, 2 SR, 1 TR	1 AU, 2 SR, 1 TR	vedi sotto
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (auxiliary)	HighLight d.14,5 - 1400 W
Front Left burner	kW	3 (Rapid)	3,6 (Triple ring)	3,6 (Triple ring)	HighLight d.12 / 21 cm - 700/2000 W
Rear Right Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (Semi-rapid)	HighLight d.17 / 26,5 - 1400/2200 W
Rear Left Burner	kW	1,75 (Semi-rapid)	1,75 (semirapido)	1,75 (semirapido)	HighLight d.14,5 - 1400 W
Central Burner	kW	3,6 (Triple ring)	-	-	-
Central rear Burner	kW	-	-	-	-
Left burner	kW	-	-	-	-
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	-
Electronic ignition Hob		YES	YES	YES	-
Security valves Oven + Grill		-	YES	-	-
Electronic ignition Oven + Grill		-	YES	-	-
Ignition type		-	-	-	-
Push button		-	-	-	-
One-hand		YES	YES	YES	-
COOK-TOP ACCESSORIES		-	-	-	
Enamelled pan supports		YES	YES	YES	-
Cast Iron pan supports		on request / optional	on request / optional	on request / optional	-
Wok adaptor		on request / optional	on request / optional	on request / optional	-
OVEN					
Oven type		Multifunction electric oven	Multifunction gas oven with fan	Multifunction electric oven	Multifunction electric oven
FUNCTIONS					
Function selector		8	-	8	8
Light		• (oven working)	-	• (oven working)	• (oven working)
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		•	-	•	•
Bottom element		-	-	-	
Bottom element + fan		•	-	•	•
Upper element		-	-	-	
Grill		•	-	•	•
Grill + upper element (double grill)		•	-	•	•
Double grill + fan		•	-	•	•
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		•	-	•	•
Defrosting		•	-	•	•
Gas		-	•	-	-
Grill Gas		-	•	-	-
Gas + fan		-	•	-	-
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		-	•	-	-
Turnspit		-	•	-	-
Fan switch		-	•	-	-
OVEN CAVITY					
Finishing		-	-	-	-
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	YES	YES
Digital minder		-	-	-	-
Digital programmer		on request / optional	-	on request / optional	on request / optional
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	-	-
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		-	-	-	-
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit		on request / optional	YES	on request / optional	on request / optional
Multichef (fan switch)		-	YES	-	-
Oven Light		YES	YES	YES	YES
Wire Shelf		2	1	2	2
Enamelled tray		1	1	1	1
Storage Compartment (flip down)		YES	YES	YES	YES
Adjustable feet (St.steel)		YES	YES	YES	YES
Adjustable feet (black)		-	-	-	-
Glass Lid		YES	YES	YES	-
Splash back		-	-	-	-
TECHNICAL FEATURES					
Oven Volume	lt	67	65	67	67
Energy efficiency		B	B	B	B
Energy consumption (convenctional)		0,98	2,23 / 8,01	0,98	0,98
Energy consumption (forced)		1,05	2,29 / 8,26	1,05	1,05
Total Electric Power	kW	2315	62	2315	9315
Voltage/Frequency	V/A	220-240V 50/60Hz 10,1A	220-240V 50/60Hz 0,3A	220-240V 50/60Hz 10,1A	220-240V 50/60Hz 40,5A
DIMENSIONS					
H x W x D (cm)		85/90x70x60	85/90x60x60	85/90x60x60	85/90x60x60
H x W x D including packaging (cm)		88,5x75,5x69,5	85x65x67	85x65x67	88,5x65,5x69,5

TECHNICAL FEATURES

Unica

		UN6511R-	UN6511V-	UN9612RR	UN9612VR
Dimension		60 x 50	60 x 50	90x60	90x60
Colour		St. steel (I) - White (X)	St. steel (I) - White (X)	Rustic black	Rustic black
COOK-TOP					
N° gas burners / zone		1 AU, 2 SR, 1 RA	1 AU, 2 SR, 1 RA	1 AU, 1 RA, 2 SR, 1 TR	1 AU, 1 RA, 2 SR, 1 TR
Front Right Burner	kW	1 (auxiliary)	1 (auxiliary)	1 (ausiliary)	1 (ausiliary)
Front Left burner	kW	3 (Rapid)	3 (Rapid)	3 (rapid)	3 (rapid)
Rear Right Burner	kW	1,75 (Semi-rapid)	1,75 (Semi-rapid)	1,75 (semirapid)	1,75 (semirapid)
Rear Left Burner	kW	1,75 (semirapido)	1,75 (semirapido)	1,75 (semirapid)	1,75 (semirapid)
Central Burner	kW	-	-	3,6 (triple ring)	3,6 (triple ring)
Central rear Burner	kW	-	-	-	-
Left burner	kW	-	-	-	-
SAFETY & IGNITION					
Security valves Hob		YES	YES	YES	YES
Electronic ignition Hob		YES	YES	YES	YES
Security valves Oven + Grill		YES	-	YES	YES
Electronic ignition Oven + Grill		YES	-	YES	YES
Ignition type		-	-	-	-
Push button		-	-		-
One-hand		YES	YES	YES	YES
COOK-TOP ACCESSORIES		-	-		
Enamelled pan supports		YES	YES	YES	YES
Cast Iron pan supports		on request / optional	on request / optional	on request / optional	on request / optional
Wok adaptor		-	-	on request / optional	on request / optional
OVEN					
Oven type		Multifunction gas oven with fan	Multifunction electric oven	Multifunction gas oven with fan	Multifunction electric oven
FUNCTIONS					
Function selector		4	8	5	8
Light		-	• (oven working)	-	• (oven working)
Pizza		-	-	-	-
Pre-heating		-	-	-	-
Traditional cooking		-	•	-	•
Bottom element		-	-	-	-
Bottom element + fan		-	•	-	•
Upper element		-	-	-	-
Grill		-	•	-	•
Grill + upper element (double grill)		-	•	-	•
Double grill + fan		-	•	-	•
Grill + fan		-	-	-	-
Static + fan		-	-	-	-
Multifunction (circular + fan)		-	•	-	•
Defrosting		-	•	-	•
Gas		•	-	•	-
Grill Gas		•	-	•	-
Gas + fan		•	-	•	-
Grill gas + fan		-	-	-	-
SPECIAL FUNCTIONS					
Light		•	-	•	-
Turnspit		-	-	•	-
Fan switch		•	-	•	-
OVEN CAVITY					
Finishing		-	-	TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-	-	-
Side chromed racks		YES	YES	YES	YES
CLEANING					
Self cleaning catalityc panel		on request / optional	on request / optional	on request / optional	on request / optional
TYPE OF PROGRAMMING					
Minute minder		YES	YES	-	-
Digital minder		-	-	-	-
Digital programmer		-	-	-	-
Timer end of cooking		-	-	-	-
Analogical minute minder		-	-	-	-
Analogical timer end of cooking		-	-	YES	YES
OVEN DOOR					
Enamelled metallic + glass		-	-	-	-
Full glass		YES	YES	YES	YES
Double glass		YES	YES	YES	YES
Triple glass		-	-	-	-
Removable inner glass		-	-	-	-
ACCESSORIES					
Cooling fan		YES	YES	YES	YES
Thermostat		YES	YES	YES	YES
Closed door grilling		-	-	-	-
Oven & Grill separated controls		-	-	-	-
Turnspit			-	YES	on request / optional
Multichef (fan switch)		YES	-	YES	-
Oven Light		YES	YES	YES	YES
Wire Shelf		1	2	1	2
Enamelled tray		1	1	1	1
Storage Compartment (flip down)		YES	YES	YES - FLIPDOWN	YES - FLIPDOWN
Adjustable feet (St.steel)		YES	YES	-	-
Adjustable feet (black)		-	-	YES	YES
Glass Lid		YES	YES	YES	YES
Splash back		-	-	-	-
TECHNICAL FEATURES					
Oven Volume	lt	56	57	112	120
Energy efficiency		B	B	B	C
Energy consumption (convenctional)		1,90 / 6,84	0,90	2,72 / 9,80	1,52
Energy consumption (forced)		2,17 / 7,80	0,85	2,88 / 10,37	1,62
Total Electric Power	kW	62	2258	69	2515
Voltage/Frequency	V/A	220-240V 50/60Hz 0,3A	220-240V 50/60Hz 9,8A	220-240V 50/60Hz 0,3A	220-240V 50/60Hz 10,9A
DIMENSIONS					
H x W x D (cm)		85/90x60x50	85/90x60x50	85/90X90X60	85/90X90X60
H x W x D including packaging (cm)		85x65x67	85x65x67	85X95X67	85X95X67

TECHNICAL FEATURES

Unica

		UN6613RR	UN6613VR
Dimension		60x60	60x60
Colour		Rustic black	Rustic black
COOK-TOP			
N° gas burners / zone		1 AU, 2 SR, 1 RA	1 AU, 2 SR, 1 RA
Front Right Burner	kW	1 (ausiliary)	1 (ausiliary)
Front Left burner	kW	3,6 (triple ring)	3,6 (triple ring)
Rear Right Burner	kW	1,75 (semirapid)	1,75 (semirapid)
Rear Left Burner	kW	1,75 (semirapid)	1,75 (semirapid)
Central Burner	kW	-	-
Central rear Burner	kW	-	-
Left burner	kW	-	-
SAFETY & IGNITION			
Security valves Hob		YES	YES
Electronic ignition Hob		YES	YES
Security valves Oven + Grill		YES	YES
Electronic ignition Oven + Grill		YES	YES
Ignition type		-	-
Push button		-	-
One-hand		YES	YES
COOK-TOP ACCESSORIES			
Enamelled pan supports		YES	YES
Cast Iron pan supports		on request / optional	on request / optional
Wok adaptor		-	-
OVEN			
Oven type		Multifunction gas oven with fan	Multifunction electric oven
FUNCTIONS			
Function selector		5	8
Light		-	• (oven working)
Pizza		-	-
Pre-heating		-	-
Traditional cooking		-	•
Bottom element		-	-
Bottom element + fan		-	•
Upper element		-	-
Grill		-	•
Grill + upper element (double grill)		-	•
Double grill + fan		-	•
Grill + fan		-	-
Static + fan		-	-
Multifunction (circular + fan)		-	•
Defrosting		-	•
Gas		•	-
Grill Gas		•	-
Gas + fan		•	-
Grill gas + fan		-	-
SPECIAL FUNCTIONS			
Light		•	-
Turnspit		•	-
Fan switch		•	-
OVEN CAVITY			
Finishing		TITANIUM EASY CLEAN	TITANIUM EASY CLEAN
Embossed		-	-
Side chromed racks		YES	YES
CLEANING			
Self cleaning catalityc panel		on request / optional	on request / optional
TYPE OF PROGRAMMING			
Minute minder		-	-
Digital minder		-	-
Digital programmer		-	-
Timer end of cooking		-	-
Analogical minute minder		-	-
Analogical timer end of cooking		YES	YES
OVEN DOOR			
Enamelled metallic + glass		-	-
Full glass		YES	YES
Double glass		YES	YES
Triple glass		-	-
Removable inner glass		-	-
ACCESSORIES			
Cooling fan		YES	YES
Thermostat		YES	YES
Closed door grilling		-	-
Oven & Grill separated controls		-	-
Turnspit		YES	on request / optional
Multichef (fan switch)		YES	-
Oven Light		YES	YES
Wire Shelf		1	2
Enamelled tray		1	1
Storage Compartment (flip down)		YES - FLIPDOWN	YES - FLIPDOWN
Adjustable feet (St.steel)		-	-
Adjustable feet (black)		YES	YES
Glass Lid		YES	YES
Splash back		-	-
TECHNICAL FEATURES			
Oven Volume	lt	65	67
Energy efficiency		B	B
Energy consumption (convenctional)		2,23 / 8,01	0,98
Energy consumption (forced)		2,29 / 8,26	1,05
Total Electric Power	kW	69	2315
Voltage/Frequency	V/A	220-240V 50/60Hz 0,3A	220-240V 50/60Hz 10,1A
DIMENSIONS			
H x W x D (cm)		85/90x60x60	85/90x60x60
H x W x D including packaging (cm)		88,5x65,5x69,5	88,5x65,5x69,5

Unica

90x60 MAXI OVEN



90x60 MAXI OVEN WITH VITROCERAMIC TOP



90X60 MAXI OVEN



80X60 MAXI OVEN



80X50 MAXI OVEN



70X60



60X60



60X60



60X60 OVEN WITH VITROCERAMIC TOP



60X50



MARKETING
Glem Gas

AD & GRAPHIC DESIGN
Ikos

PHOTO
Visual Pro - Studio 129 - Interiorvista

Glem Gas S.p.A. reserves the right unilaterally at any time to change its own products without altering the catalogue contents accordingly.

012F65.2 01/2015

GLEM

Glem Gas S.p.A.
via Modenese, 4266
41018 San Cesario S.P.
Modena - Italy
tel. +39 059 959111
fax +39 059 959150
info@glemgas.com
www.glemgas.com