
MATRIX **WGLEM**GAS





Cooking excellence made in Italy

Glem Gas was established in 1959 in Modena, in the heart of Emilia Romagna. The company proudly embodies the culinary excellence of the region and its artistic tradition. The people of Emilia Romagna have a passion for their land, a spirit of innovation and a long history of craftsmanship. At Glem Gas we offer added value through aesthetics, technology and functionality. Our main goal in over half a century in the business is to be "Cooking Specialists". Our products are high performing, versatile and reliable. They are made to last and to be easy to use. We design them to exceed your expectations.




Unique and functional

Innovative and refined. The new Glem Gas cookers are high-tech products designed to meet the most modern trends and needs of contemporary living. The styling and detail create a cooker that is more of a piece of furniture than just an appliance. We created a new interpretation of free standing cookers. It is a blend between tradition and modernity. This unique approach has been given industry recognition through Glem Gas being awarded one of the most significant international design awards in the industry: The Menzione d'Onore of the XXII Premio Compasso d'Oro ADI (Mention of Honour of the XXII Compasso D'Oro ADI awards).



ADI Design Index is the annual publication of ADI Associazione per il Disegno Industriale (Industrial Design Association) that collects the best Italian design put into production.



functions and features



CLASS A ENERGY LABEL

Matrix cookers have the Class A energy label. This not only helps the environment but also provides energy savings.



SAFE TOUCH / TANGENTIAL

Thanks to an innovative tangential cooling fan, hot air is expelled from the rear of the cook top keeping the control area and door cooler. This makes it more comfortable for anyone using the cooker and reduces the energy consumption by taking advantage of the natural "chimney effect" created by hot air.



OVEN WITH FAN The fan in the back wall of the oven operates to evenly distribute the heat. It provides a rapid and consistent cooking environment. It also allows for baking using more than one shelf at the same time. Used at lower temperatures the fan improves

the oven efficiency which save energy while cooking perfectly.



REMOVABLE GLASS

An essential Design feature. The smooth inner part of the oven door gives not only a clean look it makes cleaning so much easier.

The glass window is easily removable to allow for the cleaning of the inner part of the door.



PRE-HEATING The top models have a PRH (pre-heating) function that allows you to rapidly pre-heat the oven. The oven reaches the temperature of 200°C in few minutes, and thus reduces the total cooking time. The oven emits a tone when it reaches temperature, at which point you can set the cooking function you wish to use.



127 LT VOLUME CAPACITY The size of the oven cavity has always been a feature of Glem Gas cookers. The capacity (in litres) of our ovens is among the largest in the market. We pay particular attention to the width of the cavity so as to allow the use of the largest baking dishes.



DEFROSTING WITH FAN

The fan operates without heat. It provides effective defrosting in half the time.



BUILT-IN

All Glem Gas cookers are approved to be built into your kitchen cabinetry according to the European Building-in Homologation (UNI EN 30-1-1 class 2). No space required between the bench and the cooker.



OVEN LIGHT

The oven light illuminates the cooking process.



UPPER ELEMENT This function allows direct cooking. Very

good for cooking au gratin.



BOTTOM ELEMENT Ideal for cooking pies and to give a final touch to the cooking.



TRADITIONAL COOKING The heat is given by the bottom and upper oven elements. Ideal for pastry cooking and traditional recipes.



BOTTOM ELEMENT WITH FAN

The heat of the bottom element is spread through the fan. Ideal for soufflés.



FAN ASSISTED

The heat given by the bottom and upper oven elements is spread through the fan.



FAN FORCED

The fan moves the hot air inside the oven, allowing homogeneous cooking on 3 levels, without spreading any smell.



GRILL

It is used to cook "au gratin". Ideal for cooking "thin" meat.



DOUBLE GRILL

The grill along with the upper element allow grilling on wider areas.



DOUBLE GRILL WITH FAN Ideal for grilling meat and for cooking fish.

BOTTOM GAS Traditional gas cooking.



GAS WITH FAN The fan evenly spreads the heat produced by the gas burner throughout the cavity.



TURNSPIT Ideal for baking meats.



PRE-HEATING

The PRH allows you to pre-heat the oven more quickly. The oven reaches the temperature of 200°C in few minutes and reduces the total cooking time.



DEFROSTING WITH FAN

This feature allows quick food defrosting.





design with character

The new design of the Matrix series represents the perfect balance between traditional and modern styles.



1 LEFT TRIPLE RING BURNER. This is a new arrangement of the burners. We have positioned the triple ring burner (3,6 kW) to the left. The overall functionality of the stove top is perfectly optimised. Even when using a 30 cm diameter pan on the left burner, there is enough clearance for other pans to be used on the other burners. The new design of the cast iron grids is intended to maximise space and integrate perfectly with the cooker top. 2 REMOVABLE GLASS. Essential design for ease of use. The smooth inner part of the oven door gives not only a clean look it makes cleaning definitely easier. The glass window is easily removable to allow the cleaning of the internal glass. 3 EASY TO CLEAN. Thanks to the low porosity of the titanium enamel, cleaning is so much easier and reduces dirt build up. The titanium enamel is resistant to the attack of acids and maintains its colour over time even after intensive use. 4 ITALIAN DESIGN. The solid aspect of the door handle offers a confidence feeling to your daily gesture, the new knobs and reduced control panel integrate perfectly with the modern home design. The 4 cm height of the hob is designed to match perfectly with bench profiles and materials. There is a refinement in the detail of all the aesthetic elements as tradition of Glem Gas product.




efficiency and flexibility

Choose the size and features that best suit your kitchen space.



1 TANGENTIAL COOLING FAN. Surface temperatures are reduced thanks to an innovative induced tangential cooling system which exhausts hot air from the rear of the cook top. This system, together with a new cooling concept of the oven door, drops considerably the surface temperature of the cooker. 2-3 MULTIFUNCTION GAS OVEN WITH FAN. Glem Gas has created an innovative oven which combines all the features of a multifunction electric oven with those of a gas oven. The traditional cooking of a gas oven, ideal for roasting and baking, combined with fan forced ventilation provides a great heat distribution for single and multi-level cooking. More recipes prepared in less time and with less energy consumption.
4 127 LT VOLUME CAPACITY. The size of the oven cavity has always been a feature of Glem Gas cookers. The capacity (in litres) of our ovens is among the largest in the market. We pay particular attention to the width of the cavity so as to allow the use of the largest baking dishes.



Matrix 100x60

M165RI



- Multifunction gas oven with fan
- Gas grill
- Turnspit
- 1 grid 1 drip tray

Cooking functions:






M165RI

5 gas burner (1 triple ring burner)





STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ring
- One-hand ignition for cooktop, oven
- and grill burners

 Safety valves for cooktop, oven and grill burners
- Cast iron pan support
 Tangential cooling fan
 Oven capacity 102 It
- Full glass oven inner door
- Removable glass •
- Thermostat •

86-91 76

÷

- Oven light
- Oven side racks with stops
- Minute minder
- Closed door system
- Storage compartmentAdjustable stainless steel feet

- Self-cleaning catalytic panels
- Third glass Cool door

Matrix 100x60

M165GI



- Gas oven
- Gas grill
- Turnspit
- 1 grid
- 1 drip tray

Cooking functions:







M165GI

5 gas burner (1 triple ring burner)







STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ring
- One-hand ignition for cooktop burners
- Cast iron pan supportOven capacity 113 lt
- Full glass oven inner door
- Removable glass
- Thermostat
- Oven light
- Minute minder
- Closed door system
- Storage compartment
- Adjustable stainless steel feet

- One-hand ignition for oven and grill burners
- Safety valves for cooktop, oven and grill burners
- Self-cleaning catalytic panelsThird glass Cool door

Matrix 100x60

M165EI



- Electric static oven
- Electric grill
- Turnspit
- 1 grid1 drip tray

Cooking functions:






M165EI

5 gas burner (1 triple ring burner)





STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ringOne-hand ignition for cooktop burners
- Cast iron pan supportOven capacity 127 It
- Full glass oven inner door
- Removable glass
- Thermostat
- Oven light

86-91 76

÷

→

- Minute minder
- Closed door system
- Storage compartment
- Adjustable stainless steel feet

- Safety valves for cooktop burners
- Self-cleaning catalytic panelsThird glass Cool door

M965RI



- Multifunction gas oven with fan
- Gas grill
- Turnspit
- 1 grid1 drip tray

Cooking functions:






M965RI

5 gas burner (1 triple ring burner)





STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ring
- One-hand ignition for cooktop, oven
- and grill burners
- Safety valves for cooktop, oven and grill burners
- Cast iron pan support
- Tangential cooling fan
- Oven capacity 88 It
- Full glass oven inner door
- Removable glass •
- Thermostat
- •
- Oven light

86-91

- Oven side racks with stops
- Minute minder
- Closed door system
- Storage compartment · Adjustable stainless steel feet

- Self-cleaning catalytic panels
- Third glass Cool door

M96TRI



- Multifunction gas oven with fan
- Gas grill
- Turnspit
- 1 grid 1 drip tray

Cooking functions:






Left triple ring burner

5 gas burner (1 triple ring burner)







M96TRI

STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ring
- One-hand ignition for cooktop, oven
- and grill burners Safety valves for cooktop, oven and
- grill burners
- Cast iron pan support
- Tangential cooling fan
- Oven capacity 88 It
- Full glass oven inner door
- Removable glass •
- Thermostat •
- Oven light

86-91

- Oven side racks with stops
- Minute minder
- Closed door system
- Storage compartment
- · Adjustable stainless steel feet

- OPTIONAL: Self-cleaning catalytic panels
 - Third glass Cool door

16

M965GI



- Gas oven
- Gas grill
- Turnspit
- 1 grid
- 1 drip tray

Cooking functions:







M965GI

5 gas burner (1 triple ring burner)







STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ring
- One-hand ignition for cooktop burners
- Cast iron pan supportOven capacity 98 lt
- Full glass oven inner door
- Removable glass
- Thermostat
- Oven light
- Minute minder
- Closed door system
- Storage compartment
- Adjustable stainless steel feet

- One-hand ignition for oven and grill burners
- Safety valves for cooktop, oven and grill burners
- Self-cleaning catalytic panelsThird glass Cool door

M96TGI



- Gas oven
- Gas grill
- Turnspit
- 1 grid
- 1 drip tray

Cooking functions:






Left triple ring burner

5 gas burner (1 triple ring burner)







M96TGI

STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ringOne-hand ignition for cooktop burners
- Cast iron pan supportOven capacity 98 lt
- Full glass oven inner door
- Removable glass
- Thermostat
- Oven light
- Minute minder
- Closed door system
- Storage compartment
- Adjustable stainless steel feet

OPTIONAL:

- One-hand ignition for oven and grill burners
- Safety valves for cooktop, oven and grill burners
- Self-cleaning catalytic panelsThird glass Cool door

86-91 ÷

M9659I



- Multifunction oven
- Electric grill
- 2 grid
- 1 drip tray

9 cooking functions:


Ϋ́Ϋ́Ϋ́Ϋ́	*		*	*
•••••		*	PRH	




M9659I

5 gas burner (1 triple ring burner)







STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ring
- One-hand ignition for cooktop burners
- Cast iron pan supportOven capacity 100 lt
- Full glass oven inner door
- Removable glass
- Thermostat
- Oven light
- Minute minder
- Closed door system
- Storage compartmentAdjustable stainless steel feet

- Safety valves for cooktop burners
- Self-cleaning catalytic panelsThird glass Cool door

M965EI



- Electric static oven
- Electric grill
- Turnspit
- 1 grid 1 drip tray

Cooking functions:






M965EI

5 gas burner (1 triple ring burner)





STANDARD FEATURES:

- Without lid, with splash-back
- Side pillars
- 5 gas burners of which 1 triple ringOne-hand ignition for cooktop burners
- Cast iron pan supportOven capacity 110 lt
- Full glass oven inner door
- Removable glass
- Thermostat
- Oven light

86-91

- Minute minder Closed door system
- Storage compartmentAdjustable stainless steel feet

- Safety valves for cooktop burners
- Self-cleaning catalytic panelsThird glass Cool door



Technical features

Model	M165RI	M165GI	M165EI	M965RI	M96TRI
Colour	Inox	Inox	Inox	Inox	Inox
Maxi oven	•	•	•	•	•
Storage compartment	•	•	•	•	•
HOB FEATURES					
Cast-iron grids	•	•	•	•	•
One-hand integrated in the knob	•	•	•	•	•
Safety valves	•	0	0	•	•
Number of burners	5	5	5	5	5
Triple ring burner kW	3,6	3,6	3,6	3,6	3,6
Rapid burner kW	3	3	3	3	3
Semi-rapid burner kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner kW	1	1	1	1	1
OVEN FEATURES					
Gas oven - gas grill	-	•	-	-	-
Gas oven - gas grill with fan	•	-	-	•	•
Multifunction oven	-	-	-	-	-
Electric oven - electric grill	-	-	•	-	-
Full glass (double)	•	•	•	•	•
Removable glass door	•	•	•	•	•
Oven compartment net volume Its. Its.	102	113	127	88	88
Thermostat	Gas	Gas	Elettrico	Gas	Gas
One-hand integrated in the knob	•	0	-	•	•
Safety valves	•	0	-	•	•
Turnspit	•	•	•	•	•
Enamelled tray	1	1	1	1	1
Wire grid	1	1	1	1	1
Closed door system	•	•	•	•	•
Titanium enamel	•	•	•	•	•
Self cleaning	0	0	0	0	0
Oven side racks	•	-	-	•	•
No lid with splash back	•	•	•	•	•
Tangential cooling fan	•	-	-	•	•
PROGRAMMER					
Mechanical minute minder	•	•	•	•	•
DIMENSIONS					
Width cm	100	100	100	90	90
Depth cm	60	60	60	60	60
Height cm	86/91	86/91	86/91	86/91	86/91

- = NO• = STANDARD o = OPTIONAL

Technical features

Model	M965GI	M96TGI	M9659I	M965EI
Colour	Inox	Inox	Inox	Inox
Maxi oven	•	•	•	•
Storage compartment	•	•	•	•
HOB FEATURES				
Cast-iron grids	•	•	•	•
One-hand integrated in the knob	•	•	•	•
Safety valves	0	0	0	0
Number of burners	5	5	5	5
Triple ring burner kW	/ 3,6	3,6	3,6	3,6
Rapid burner kW	/ 3	3	3	3
Semi-rapid burner kW	1,75	1,75	1,75	1,75
Auxiliary burner kW	/ 1	1	1	1
OVEN FEATURES				
Gas oven - gas grill	•	•	-	-
Gas oven - gas grill with fan	-	-	-	-
Multifunction oven	-	-	•	-
Electric oven - electric grill	-	-	-	•
Full glass (double)	•	•	•	•
Removable glass door	•	•	•	•
Oven compartment net volume Its. Its	. 98	98	100	110
Thermostat	Gas	Gas	Elettrico	Elettrico
One-hand integrated in the knob	0	0	-	-
Safety valves	0	0	-	-
Turnspit	•	•	-	•
Enamelled tray	1	1	1	1
Wire grid	1	1	2	1
Closed door system	•	•	•	•
Titanium enamel	•	•	•	•
Self cleaning	0	0	0	0
Oven side racks	-	-	-	-
No lid with splash back	•	•	•	•
Tangential cooling fan	-	-	-	-
PROGRAMMER				
Mechanical minute minder	•	•	•	•
DIMENSIONS				
Width cm	n 90	90	90	90
Depth cm	n 60	60	60	60
Height cm	n 86/91	86/91	86/91	86/91

MARKETING Glem Gas

AD & GRAPHIC DESIGN Ikos


PHOTO Studio 129 - Interiorvista

> STAMPA Sate S.r.I.



Glem Gas S.p.A. via Modenese, 4266 41018 San Cesario S.P. Modena - Italy tel. +39 059 959111 fax +39 059 959150 info@glemgas.com www.glemgas.com

UNICA **WGLEM**GAS







GLEMGAS



The leading italian cookers. Since 1959.

Cooking excellence made in Italy

Glem Gas was established in 1959 in Modena, in the heart of Emilia Romagna. The company proudly embodies the culinary excellence of the region and its artistic tradition. The people of Emilia Romagna have a passion for their land, a spirit of innovation and a long history of craftsmanship. At Glem Gas we offer added value through aesthetics, technology and functionality. Our main goal in over half a century in the business is to be "Cooking Specialists". Our products are high performing, versatile and reliable. They are made to last and to be easy to use. We design them to exceed your expectations.




Unique and functional

Innovative and refined. The new Glem Gas cookers are high-tech products designed to meet the most modern trends and needs of contemporary living so as to bring forward and interpret the very demanding customers needs.

The shape and the details as well as the robust and functional structure are the key players which create a cooker that is a real piece of furniture, by assuring an outstanding customised kitchen. We created a new interpretation of free standing cookers. It is a blend between tradition and modernity. This unique approach has been given industry recognition through Glem Gas being awarded one of the most significant international design awards in the industry: The Menzione d'Onore of the XXII Premio Compasso d'Oro ADI (Mention of Honour of the XXII Compasso D'Oro ADI awards).



ADI Design Index is the annual publication of ADI Associazione per il Disegno Industriale (Industrial Design Association) that collects the best Italian design put into production.



functions and features



EN WITH FAN 0

The fan in the back wall of the oven operates to evenly distribute the heat. It provides a rapid and consistent cooking environment. It also allows for baking using more than one shelf at the same time. Used at lower temperatures the fan improves the oven efficiency which save energy while cooking perfectly. Available in the electrical and gas oven (see below).



COLD DOOR

The external temperatures are reduced thanks to the new oven door. The innovative extraction chimney considerably increases the air flow circulation inside the oven door so as to have external temperatures very low.



BUILT-IN

All Glem Gas cookers are approved to be built into your kitchen cabinetry according to the European Building-in Homologation (UNI EN 30-1-1 class 2). No space required between the bench and the cooker.




129 LT VOLUME CAPACITY The size of the oven cavity has always been a feature of Glem Gas cookers. The capacity (in litres) of our ovens is among the largest in the market. We pay particular attention to the width of the cavity so as to allow the use of the largest baking dishes.



FULL SAFET

Security valves for cooktop, oven and grill burners. Ignition for cooktop, oven and grill burners.





Multifunction gas oven with fan of this combination

- Cooking time is reduced up to 20% compared with normal gas cookers
- Uniform distribution of heat inside the oven cavity
- Two cooking levels simultaneously
- Optimisation of space and cooking time
- Energy saving
- Homogeneous cooking with no burnt areas



The turnspit (standard feature) is ideal to grant the traditional way of cooking.



OVEN LIGHT

The oven light illuminates the cooking process.



UPPER ELEMEN

This function allows direct cooking. Very good for cooking au gratin.



BOTTOM ELEMENT

Ideal for cooking pies and to give a final touch to the cooking.



TRADITIONAL COOKING The heat is given by the bottom and upper oven elements. Ideal for pastry cooking and traditional recipes.

	Î
r	2
	フ
-	

TRADITIONAL COOKING + TURNSPIT

Traditional cooking with turnspit.



BOTTOM ELEMENT WITH FAN The heat of the bottom element is spread through the fan. Ideal for soufflés.



FAN ASSISTED

The heat given by the bottom and upper oven elements is spread through the fan.



UPPER ELEMENT + TURNSPIT This function allows direct cooking. With turnspit.



BOTTOM ELEMENT + TURNSPIT The turnspit turns meat while the bottom element roasts from below.



GRILL It is used to cook "au gratin". Ideal for cooking "thin" meat.



GRILL + TURNSPIT Ideal for grilling.



DOUBLE GRILL WITH FAN Ideal for grilling meat and for cooking fish.



BOTTOM GAS Traditional gas cooking.



GAS WITH FAN The fan evenly spreads the heat produced by the gas burner throughout the cavity.



BOTTOM GAS + TURNSPIT Ideal for even cooking.



BOTTOM GAS + TURNSPIT WITH FAN The gas with fan function is combined with turnspit.



UPPER GAS Traditional gas cooking.

$\stackrel{\bullet\bullet\bullet\bullet\bullet}{\longleftrightarrow}$	\sim	
\leftrightarrow		
	r	1
		フ

UPPER GAS + TURNSPIT Ideal for baking meats.





something different

The design of the Unica aims to introduce an aesthetic evolution on its segment. Developed in conjunction with Marcello Cutino, BCF design, represents the result of a continuous interaction between home design and traditional Glem Gas style.



1 FULL FLAT INNER DOOR GLASS. Essential design in a brilliant titanium colour. The smooth inner part of the oven door gives not only a clean look, it makes cleaning so much easier. 2 MATT FINISHING. The new matt black pan supports give more solidity and richness to the cooktop. Furthermore, the new matt and porous finishing acts as anti-slip for all the saucepans. 3-4 FULL FLAT PAN SUPPORTS. The pan supports of Unica range have been designed to make easier their use. The full flat and levelled shape allows the saucepans to slide from one burner to another so as to prevent them from tipping over. All the differences in height have been deleted so as to have a functional and uniform cooking surface. 5 LEADING EDGE DESIGN. The full width handle on the oven door offers a sleek horizontal element to the aesthetic that well integrates with modern kitchen design. The side panels create a better balance to the frontal view. A lower control panel and higher hob profile give more personality to the Unica series.






a step forward

Functionality and practicality are our main aims when we develop our products. The synergy between design and technology allows to anticipate and meet our customers' needs in order to develop a product easy to clean and, at the same time, professional for cooking.



1 COLD GLASS. The innovative conception of the oven door allows the inner air flow to make the surface temperatures more suitable and the kitchen more pleasant. 2 MULTIFUNCTION GAS OVEN WITH FAN Glem Gas has created an innovative oven which combines all the features of an electric multifunction oven with those of a gas oven. The traditional cooking of the gas oven, ideal for roasting and baking, together with a forced ventilation provides a great heat distribution for single and multi-level cooking. More recipes in less time and with less consumption. 3 129 LT VOLUME CAPACITY A single oven cavity, large and spacious. The wide space and capacity guarantee different ways of cooking. Perfect for those want professionalism in the kitchen. 4 TITANIUM ENAMEL EASY TO CLEAN. Thanks to the low porosity of the titanium enamel, cleaning is so much easier and reduces dirt build up. The titanium enamel is resistant to the attack, of acids and maintains its colour over time even after intensive use. The brightness of the titanium enamel gives more room and widthness to your oven.







UN9612RI Inox



- Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 driptray
- Ignition and safety valves for cooktop, oven and grill burners

<u>نېنا انځې</u>	•••••		€*)
------------------	-------	--	-----------------





UN9612GI UN9612RI





UN9621GI UN9621RI

STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat • Oven light
- Oven cavity with Titanium enamel Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Cast iron pan supportSafety valves
- (standard on UN9612RI)
- Ignition by button (standard on UN9612RI)
- One-hand ignition

- Closed door system
- (standard on UN9612RI) Safety valves for oven and grill burners
- (standard on UN9612RI) Ignition by button for oven and grill burners
- (standard on UN9612RI)
- One-hand ignition for oven and grill burners



UN9612EI



- Electric static oven • Electric grill
- 1 grid



• i unpuay			
×			
	\longleftrightarrow	\bigcirc	

UN9612MI




- 1 grid
- 1 driptray


ک	•••••	•••••	•••••	\leftarrow
--------------	-------	-------	-------	--------------



UN9612WI UN9612EI UN9612MI



UN9622WI UN9622EI UN9622MI



UN9621WI UN9621EI UN9621MI



STANDARD FEATURES:

- Crystal lidMatt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN9612MI - UN9612EI)
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

- Safety valves for oven burner (optional on UN9612MI)
- Ignition by button for oven burner (optional on UN9612MI)
- One-hand ignition for oven burner (optional on UN9612MI)
- Turnspit (optional on UN9612WI)

Unica 90x60




- Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 driptray
- Ignition and safety valves for cooktop, oven and grill burners

<u>کې</u>	*	•••••		(*)
-----------	---	-------	--	-----------------






UN9612GX UN9612RX







UN9621GX UN9621RI

STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartmentAdjustable feet

• Cast iron pan support

- Safety valves (standard on UN9612RX)
- Ignition by button
- (standard on UN9612RX) • One-hand ignition

- Closed door system
- (standard on ÚN9612RX) • Safety valves for oven
- and grill burners (standard on UN9612RX)
- Ignition by button for oven and grill burners (standard on UN9612RX)
- One-hand ignition for oven and grill burners

Unica 90x60



UN9612EX



- Electric static oven
- Electric grill1 grid
- 1 drip

ranpuay		
	\bigcirc	


UN9612MX

White		
		129Ĺ
• Gas ov		
 Electric 	c grill	
 1 grid 		
 1 dript 	ray	

Ĩ	<u>••••</u>	•••••	(
---	-------------	-------	---	--



UN9612WX UN9612EX UN9612MX







UN9621WX UN9621EX UN9621MX



STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN9612MX - UN9612EX)
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

- Safety valves for oven burner (optional on UN9612MX)
- Ignition by button for oven burner (optional on UN9612MX)
- One-hand ignition for oven burner (optional on UN9612MX)
- Turnspit (optional on UN9612WX)



UN8612RI



- Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 driptray
- Ignition and safety valves for cooktop, oven and grill burners

ÿ	*	••••		€*) •••••
---	---	------	--	--------------





UN8612GI UN8612RI

STANDARD FEATURES:

- Crystal lidMatt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment Adjustable feet

OPTIONAL HOB:

- Safety valves (standard on UN8612RI)
- Ignition by button (standard on UN8612RI)
- One-hand ignition

- Closed door system (standard on UN8612RI)
- Safety valves for oven and grill burners (standard on UN8612RI)
- Ignition by button for oven and grill burners (standard on UN8612RI)
- One-hand ignition for oven and grill burners



UN8612EI



- Electric grill
- 1 grid

 1 driptray 	
	•••••

UN8612MI





UN8612WI UN8612EI UN8612MI



STANDARD FEATURES:

- Crystal lidMatt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN8612MI - UN8612EI)
- Thermostat
- Oven light
- Oven cavity with Titanium enamelMinute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Safety valvesIgnition by button
- One-hand ignition

- Safety valves for oven burner (optional on UN8612MI)
- Ignition by button for oven burner (optional on UN8612MI)
- One-hand ignition for oven burner (optional on UN8612MI)
- Turnspit (optional on UN8612WI)



UN8612RX



- · Full safety
- Multifunction gas oven with fan
- Gas grill
- 1 grid
- 1 driptray
- Ignition and safety valves for cooktop, oven and grill burners

×.	•••••		(*)
----	-------	--	----------------





UN8612GX UN8612RX

STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Turnspit
- Thermostat
- Oven light
- Oven cavity with Titanium enamelMinute minder
- Storage compartment

Adjustable feet

OPTIONAL HOB:

- Safety valves (standard on UN8612RX) Ignition by button
- (standard on UN8612RX) • One-hand ignition

- Closed door system (standard on UN8612RX)
- Safety valves for oven and grill burners (standard on UN8612RX)
- Ignition by button for oven and grill burners (standard on UN8612RX)
- One-hand ignition for oven and grill burners



UN8612EX



- · Electric static oven
- Electric grill 1 grid1 driptray

, and a		
		•••••
	$\bigoplus \bigoplus$	

UN8612MX





UN8612WX

UN8612EX UN8612MX



STANDARD FEATURES:

- Crystal lidMatt enamelled pan support
- Full flat inner door glass
- Turnspit (standard only on UN8612MX UN8612EX)
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Safety valvesIgnition by button
- One-hand ignition

- Safety valves for oven burner (optional on UN8612MX)
- Ignition by button for oven burner (optional on UN8612MX)
- One-hand ignition for oven burner (optional on UN8612MX)
- Turnspit (optional on UN8612WX)



- Gas oven
- Gas grill
- 1 grid
- 1 driptray

Cooking functions:







PU9612GI



PU9622GI



PU9621GI


STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven lightOven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Cast iron pan supportSafety valves
- Ignition by button
- One-hand ignition

- Closed door systemSafety valves for oven and grill burners
- Ignition by button for oven and grill burners
 One-hand ignition for
- oven and grill burners
- Turnspit



PU9612EI



- Electric static oven • Electric grill
- 1 grid 1 driptray



PU9612MI




• 1 driptray






PU9612WI PU9612EI PU9612MI



PU9622WI PU9622EI PU9622MI





PU9621MI



STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

- Safety valves for oven burner (optional on PU9612MI)
- Ignition by button for oven burner (optional on PU9612MI)
- One-hand ignition for oven burner (optional on PU9612MI)
- Turnspit (optional on PU9612EI -PU9612MI)










PU9612GX



PU9622GX





PU9621GX

STANDARD FEATURES:


- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven lightOven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Cast iron pan supportSafety valves
- Ignition by button
- One-hand ignition

- Closed door system
- Safety valves for oven and grill burners
- Ignition by button for oven and grill burners
 One-hand ignition for
- oven and grill burners
- Turnspit

Unica 90x60 Bottle compartment



PU9612EX




- Electric static ovenElectric grill
- 1 grid





PU9612MX







PU9612WX PU9612EX PU9612MX



PU9622WX PU9622EX PU9622MX



PU9621WX PU9621EX PU9621MX



STANDARD FEATURES:

- Crystal lid
- Matt enamelled pan support
- Full flat inner door glass
- Thermostat
- Oven light
- Oven cavity with Titanium enamel
- Minute minder
- Storage compartment
- Adjustable feet

OPTIONAL HOB:

- Cast iron pan support
- Safety valves
- Ignition by button
- One-hand ignition

- Safety valves for oven burner (optional on PU9612MX)
- Ignition by button for oven burner (optional on PU9612MX)
- One-hand ignition for oven burner (optional on PU9612MX)
- Turnspit (optional on PU9612EX -PU9612MX)

Model	UN9612G	UN9612R	UN9612W	UN9612E	UN9612M
Colour	I - X	I - X	I - X	I - X	I - X
Maxi oven	•	•	•	•	•
Bottle compartment	-	-	-	-	-
Storage compartment	•	•	•	•	•
Adjustable feet	•	•	•	•	•
HOB FEATURES					
Matt enamelled pan support	•	•	•	•	•
Cast iron pan support	0	0	0	0	0
One-hand ignition	0	0	0	0	0
gnition by button	0	•	0	0	0
Safety valves	0	•	0	0	0
Number of burners	5	5	5	5	5
Triple ring burner	kW 3,6	3,6	3,6	3,6	3,6
Rapid burner	kW 3	3	3	3	3
Semi-rapid burner	kW 1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW 1	1	1	1	1
Electric hotplate cooktop	kW -	-	-	-	-
Electric hotplate cooktop	kW -	-	-	-	-
OVEN FEATURES					
Gas oven - gas grill	•	-	-	-	-
Multifunction gas oven with fan - gas grill	-	•	-	-	-
Multifunction oven	-	-	•	-	-
Electric oven - electric grill	-	-	-	•	-
Gas oven - electric grill	-	-	-	-	•
Full flat inner door glass	•	•	•	•	•
Oven compartment net volume Its.	lts. 126	114	117	129	129
Thermostat	•	•	•	•	•
One-hand ignition	0	0	-	-	0*
gnition by button	0	•	-	-	0*
Safety valves	0	•	-	-	0*
Turnspit	•	•	0	•	•
Enamelled tray	1	1	1	1	1
Wire grid	1	1	1	1	1
Closed door system	0	•	-	-	-
Titanium enamel	•	•	•	•	•
Crystal lid	•	•	•	•	•
PROGRAMMER					
Mechanical minute minder	•	•	•	•	•
DIMENSIONS					
Width	cm 90	90	90	90	90
Depth	cm 60	60	60	60	60
Height	cm 85/90	85/90	85/90	85/90	85/90

* on oven burner

Model	UN9621G	UN9621R	UN9621W	UN9621E	UN9621M
Colour	I - X	I - X	I - X	I - X	I - X
Maxi oven	•	•	•	•	•
Bottle compartment	-	-	-	-	-
Storage compartment	•	•	•	•	•
Adjustable feet	•	•	•	•	•
HOB FEATURES					
Matt enamelled pan support	•	•	•	•	•
Cast iron pan support	0	0	0	0	0
One-hand ignition	0	0	0	0	0
Ignition by button	0	•	0	0	0
Safety valves	0	•	0	0	0
Number of burners	4 + 2 hotplate				
Triple ring burner kW	-	-	-	-	-
Rapid burner kW	3	3	3	3	3
Semi-rapid burner kW	1,75	1,75	1,75	1,75	1,75
Auxiliary burner kW	/ 1	1	1	1	1
Electric hotplate cooktop kW	1	1	1	1	1
Electric hotplate cooktop kW	1,5	1,5	1,5	1,5	1,5
OVEN FEATURES					
Gas oven - gas grill	•	-	-	-	-
Multifunction gas oven with fan - gas grill	-	•	-	-	-
Multifunction oven	-	-	•	-	-
Electric oven - electric grill	-	-	-	•	-
Gas oven - electric grill	-	-	-	-	•
Full flat inner door glass	•	•	•	•	•
Oven compartment net volume Its. Its	. 126	114	117	129	129
Thermostat	•	•	•	•	•
One-hand ignition	0	0	-	-	0*
Ignition by button	0	•	-	-	0*
Safety valves	0	•	-	-	0*
Turnspit	•	•	0	•	•
Enamelled tray	1	1	1	1	1
Wire grid	1	1	1	1	1
Closed door system	0	•	-	-	-
Titanium enamel	•	•	•	•	•
Crystal lid	•	•	•	•	•
PROGRAMMER					
Mechanical minute minder	•	•	•	•	•
DIMENSIONS					
Width cm	90	90	90	90	90
Depth cm	60	60	60	60	60
Height cm	85/90	85/90	85/90	85/90	85/90

* on oven burner

Model	UN96220	G UN9622R	UN9622W	UN9622E	UN9622M
Colour	I - X	I - X	I - X	I - X	I - X
Maxi oven	•	•	•	•	•
Bottle compartment	-	-	-	-	-
Storage compartment	•	•	•	•	•
Adjustable feet	•	•	•	•	•
HOB FEATURES					
Matt enamelled pan support	•	•	•	•	•
Cast iron pan support	0	0	0	0	0
One-hand ignition	0	0	0	0	0
Ignition by button	0	•	0	0	0
Safety valves	0	•	0	0	0
Number of burners	6	6	6	6	6
Triple ring burner	kW 3,6	3,6	3,6	3,6	3,6
Rapid burner	kW 3	3	3	3	3
Semi-rapid burner	kW 1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW 1	1	1	1	1
Electric hotplate cooktop	kW -	-	-	-	-
Electric hotplate cooktop	kW -	-	-	-	-
OVEN FEATURES					
Gas oven - gas grill	•	-	-	-	-
Multifunction gas oven with fan - gas grill	-	•	-	-	-
Multifunction oven	-	-	•	-	-
Electric oven - electric grill	-	-	-	•	-
Gas oven - electric grill	-	-	-	-	•
Full flat inner door glass	•	•	•	•	•
Oven compartment net volume Its.	lts. 126	114	117	129	129
Thermostat	•	•	•	•	•
One-hand ignition	0	0	-	-	0*
Ignition by button	0	•	-	-	0*
Safety valves	0	•	-	-	0*
Turnspit	•	•	0	•	•
Enamelled tray	1	1	1	1	1
Wire grid	1	1	1	1	1
Closed door system	0	•	-	-	-
Titanium enamel	•	•	•	•	•
Crystal lid	•	•	•	•	•
PROGRAMMER					
Mechanical minute minder	•	•	•	•	•
DIMENSIONS					
Width	cm 90	90	90	90	90
Depth	cm 60	60	60	60	60
Height	cm 85/90	85/90	85/90	85/90	85/90

* on oven burner

Model	UN8612G	UN8612R	UN8612W	UN8612E	UN8612M
Colour	I - X	I - X	I - X	I - X	I - X
Maxi oven	•	•	•	•	•
Bottle compartment	-	-	-	-	-
Storage compartment	•	•	•	•	•
Adjustable feet	•	•	•	•	•
HOB FEATURES					
Matt enamelled pan support	•	•	•	•	•
Cast iron pan support	-	-	-	-	-
One-hand ignition	0	0	0	0	0
Ignition by button	0	•	0	0	0
Safety valves	0	•	0	0	0
Number of burners	5	5	5	5	5
Triple ring burner	W 3,6	3,6	3,6	3,6	3,6
Rapid burner k	W 3	3	3	3	3
Semi-rapid burner	W 1,75	1,75	1,75	1,75	1,75
Auxiliary burner	W 1	1	1	1	1
Electric hotplate cooktop	- W	-	-	-	-
Electric hotplate cooktop	- W	-	-	-	-
OVEN FEATURES					
Gas oven - gas grill	•	-	-	-	-
Multifunction gas oven with fan - gas grill	-	•	-	-	-
Multifunction oven	-	-	•	-	-
Electric oven - electric grill	-	-	-	•	-
Gas oven - electric grill	-	-	-	-	•
Full flat inner door glass	•	•	•	•	•
Oven compartment net volume Its.	ts. 109	99	102	112	112
Thermostat	•	•	•	•	•
One-hand ignition	0	0	-	-	0*
Ignition by button	0	•	-	-	0*
Safety valves	0	•	-	-	0*
Turnspit	•	•	0	•	•
Enamelled tray	1	1	1	1	1
Wire grid	1	1	1	1	1
Closed door system	0	•	-	-	-
Titanium enamel	•	•	•	•	•
Crystal lid	•	•	•	•	•
PROGRAMMER					
Mechanical minute minder	•	•	•	•	•
DIMENSIONS					
Width d	m 80	80	80	80	80
Depth c	m 60	60	60	60	60
	m 85/90	85/90	85/90	85/90	85/90

* on oven burner

Model	PU9612G	PU9612W	PU9612E	PU9612M	PU9621G
Colour	I - X	I - X	I - X	I - X	I - X
Maxi oven	-	-	-	-	-
Bottle compartment	•	•	•	•	•
Storage compartment	•	•	•	•	•
Adjustable feet	•	•	•	•	•
HOB FEATURES					
Matt enamelled pan support	•	•	•	•	•
Cast iron pan support	0	0	0	0	0
One-hand ignition	0	0	0	0	0
gnition by button	0	0	0	0	0
Safety valves	0	0	0	0	0
Number of burners	5	5	5	5	4 + 2 hotplate
Triple ring burner	kW 3,6	3,6	3,6	3,6	-
Rapid burner	kW 3	3	3	3	3
Semi-rapid burner	kW 1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW 1	1	1	1	1
Electric hotplate cooktop	kW -	-	-	-	1
Electric hotplate cooktop	kW -	-	-	-	1,5
OVEN FEATURES					
Gas oven - gas grill	•	-	-	-	•
Multifunction gas oven with fan - gas grill	-	-	-	-	-
Multifunction oven	-	•	-	-	-
Electric oven - electric grill	-	-	•	-	-
Gas oven - electric grill	-	-	-	•	-
Full flat inner door glass	•	•	•	•	•
Oven compartment net volume Its.	lts. 70	67	72	72	70
Thermostat	•	•	•	•	•
Dne-hand ignition	0	-	-	0*	0
gnition by button	0	-	-	0*	0
Safety valves	0	-	-	0*	0
Furnspit	0	-	0	0	0
Enamelled tray	1	1	1	1	1
Wire grid	1	1	1	1	1
Closed door system	0	-	-	-	0
Titanium enamel	•	•	•	•	•
Crystal lid	•	•	•	•	•
PROGRAMMER					
Mechanical minute minder	•	•	•	•	•
DIMENSIONS					
Nidth	cm 90	90	90	90	90
Depth	cm 60	60	60	60	60
Height	cm 85/90	85/90	85/90	85/90	85/90

* on oven burner

Model	PU9621W	PU9621E	PU9621M	PU9622G	PU9622W
Colour	I - X	I - X	I - X	I - X	I - X
Maxi oven	-	-	-	-	-
Bottle compartment	•	•	•	•	•
Storage compartment	•	•	•	•	•
Adjustable feet	•	•	•	•	•
HOB FEATURES					
Matt enamelled pan support	•	•	•	•	•
Cast iron pan support	0	0	0	0	0
One-hand ignition	0	0	0	0	0
Ignition by button	0	0	0	0	0
Safety valves	0	0	0	0	0
Number of burners	4 + 2 hotplate	e 4 + 2 hotplate	4 + 2 hotplate	6	6
Triple ring burner	kW -	-	-	3,6	3,6
Rapid burner	kW 3	3	3	3	3
Semi-rapid burner	kW 1,75	1,75	1,75	1,75	1,75
Auxiliary burner	kW 1	1	1	1	1
Electric hotplate cooktop	kW 1	1	1	-	-
Electric hotplate cooktop	kW 1,5	1,5	1,5	-	-
OVEN FEATURES					
Gas oven - gas grill	-	-	-	•	-
Multifunction gas oven with fan - gas grill	-	-	-	-	-
Multifunction oven	•	-	-	-	•
Electric oven - electric grill	-	•	-	-	-
Gas oven - electric grill	-	-	•	-	-
Full flat inner door glass	•	•	•	•	•
Oven compartment net volume Its.	lts. 67	72	72	70	67
Thermostat	•	•	•	•	•
One-hand ignition	-	-	0*	0	-
Ignition by button	-	-	0*	0	-
Safety valves	-	-	0*	0	-
Turnspit	-	0	0	0	-
Enamelled tray	1	1	1	1	1
Wire grid	1	1	1	1	1
Closed door system	-	-	-	0	-
Titanium enamel	•	•	•	•	•
Crystal lid	•	•	•	•	•
PROGRAMMER					
Mechanical minute minder	•	•	•	•	•
DIMENSIONS					
Width	cm 90	90	90	90	90
Depth	cm 60	60	60	60	60
Height	cm 85/90	85/90	85/90	85/90	85/90

* on oven burner

Model		PU9622E	PU9622M
Colour		I - X	I - X
Maxi oven		-	-
Bottle compartment		•	•
Storage compartment		•	•
Adjustable feet		•	•
HOB FEATURES			
Matt enamelled pan support		•	•
Cast iron pan support		0	0
One-hand ignition		0	0
Ignition by button		0	0
Safety valves		0	0
Number of burners		6	6
Triple ring burner	kW	3,6	3,6
Rapid burner	kW	3	3
Semi-rapid burner	kW	1,75	1,75
Auxiliary burner	kW	1	1
Electric hotplate cooktop	kW	-	-
Electric hotplate cooktop	kW	-	-
OVEN FEATURES			
Gas oven - gas grill		-	-
Multifunction gas oven with fan - gas grill		-	-
Multifunction oven		-	-
Electric oven - electric grill		•	-
Gas oven - electric grill		-	•
Full flat inner door glass		•	•
Oven compartment net volume Its.	lts.	72	72
Thermostat		•	•
One-hand ignition		-	0*
Ignition by button		-	0*
Safety valves		-	0*
Turnspit		0	0
Enamelled tray		1	1
Wire grid		1	1
Closed door system		-	-
Titanium enamel		•	•
Crystal lid		•	•
PROGRAMMER			
Mechanical minute minder		•	•
DIMENSIONS			
Width	cm	90	90
Depth	cm	60	60
Height	cm	85/90	85/90

* on oven burner

- = NO $\bullet = STANDARD$ o = OPTIONAL I = INOX X = White

MARKETING: Glem Gas / AD & GRAPHIC DESIGN: Ikos / PHOTO: Studio 129 - Interiorvista - Enrico Moretti / STAMPA: Grafiche Pioppi



Glem Gas S.p.A. via Modenese, 4266 41018 San Cesario S.P. Modena - Italy tel. +39 059 959111 fax +39 059 959150 info@glemgas.com www.glemgas.com

ALPHA **WGLEM**GAS





Easy-to-use functionality





High-power burners

The new triple-ring burners are more powerful and distribute the heat below the pan better, to guarantee unique performances in terms of heating time and cooking uniformity. The classic triple-ring burner generates 3,6 Kw of power.

Outstanding design

Glem introduces the new Alpha line, with soft and curved lines and extremely functional in everyday use. A complete range to satisfy any need: dimensions (from 53x50 cm to 90x60 cm), oven size (normal, maxi), cooktop combination (gas burners, electric hotplates, mixed). Some models are also equipped with a LPG bottle compartment or with an additional lateral storage compartment. All cookers are available in stainless steel and in white.

Single mould cooktop

Glem models are focused not only on technological innovation, but also on structural details. The new cooktops, made of one single piece, have a continuous surface with no patchiness and are extremely easy to clean. The new minimalist design meets the current trends that prefer basic and clear-cut shapes.

Excellent performances

Not only design and functionality, but also and most of all high level performances. The new ALPHA cookers have specific functions, for both hobs and ovens, that allow to differentiate the type of cooking to satisfy and cooking need.





Titanium enamel easy to clean

Thanks to the low porosity of the titanium enamel, cleaning is so much easier and reduces dirt build up. The titanium enamel is resistant to the attack of acids and maintains its colour over time even after intensive use. The brightness of the titanium enamel gives more room and widthness to your oven.



Building-in

All Glem Gas appliances come with an European Class 2 certification (according to EEC norm UNI EN 30-1-1 class 2), certifying that they are also approved for installation in contact with kitchen cabinets.



Temperature reduction 33% temperature reduction on operating surface.

AL9612GX

- AL9612GI Stainless steel
- Gas oven
- Gas grill

5 gas burners of which 1 triple ring Wok



AL9612MX White




- Gas oven
- Electric grill

5 gas burners of which 1 triple ring Wok







STANDARD FEATURES

- Enamelled pan supports
- Gas oven thermostat
- Grill
- Oven cavity with Titanium enamel

OVEN OPTIONALS

- Storage compartmentSafety valves for gas oven/gas grill
- Timer
- Oven light
- Turnspit
- Ignition by button for gas oven/gas grill

HOB OPTIONALS

90x60 bottle-compartment



AP9612GI Stainless steel

- -
- Gas oven
 Gas grill
- Gas grill

5 gas burners cooktop of which 1 triple ring wok



AP9616GX White

AP9616GI Stainless steel

- Gas oven
- Gas grill

4 gas burners + 1 electric plate



AP9622GX White AP9622GI Stainless steel


Gas oven

Gas grill

6 burners of which 1 triple ring Wok







STANDARD FEATURES

- Enamelled pan supports
- Oven Thermometer
- Storage compartment
- Grill
- Oven cavity with Titanium enamel
- Bottle-compartment

OVEN OPTIONALS

- Timer
- Gas oven thermostat
- Safety valves for gas oven/gas grill
- Oven light
- Turnspit
- Ignition by button for gas oven/gas grill

HOB OPTIONALS

80x50 maxi-oven

AL8512GX White

AL8512GI Stainless steel

- Gas oven
- Gas grill

5 gas burners cooktop of which 1 triple ring Wok burner



AL8516GX White

AL8516GI Stainless steel


Gas oven

Gas grill

4 gas burners + 1 electric hotplate cooktop







STANDARD FEATURES

- Enamelled pan supports
- Gas oven thermostat
- Grill
- Oven cavity with Titanium enamel

OVEN OPTIONALS

- Storage compartment
- Timer
- Safety valves for gas oven/gas grill
- Oven light
- Turnspit
- Ignition by button for gas oven/gas grill

HOB OPTIONALS

80x50 bottle-compartment

AP8511GX White

Gas oven

Gas grill

4 gas burners cooktop



AP8516GX White AP8516GI Stainless steel

AP8511GI Stainless steel


Gas oven

Gas grill

4 gas burners + 1 electric







STANDARD FEATURES

- Enamelled pan supports
- Oven Thermometer
- Storage compartment
- Grill
- Oven cavity with Titanium enamel
- Bottle-compartment

OVEN OPTIONALS

- Timer
- Gas oven thermostat
- Safety valves for gas oven/gas grill
- Oven light
- Turnspit
- Ignition by button for gas oven/gas grill

HOB OPTIONALS



AL6611GX White

K AL6611GI Stainless steel

- Gas oven
- Gas grill

4 gas burners cooktop



AL6609EX White


AL6609EI Stainless steel

- Electric oven
- Electric grill

4 electric hotplates cooktop







STANDARD FEATURES

- Enamelled pan supports
- Oven Thermometer
- Thermostat for electric oven
- Grill
- Oven cavity with Titanium enamel

OVEN OPTIONALS

- Storage compartment
- Timer
- Gas oven thermostat
- Safety valves for gas oven/gas grill
- Oven light
- Turnspit
- Ignition by button for gas oven/gas grill

HOB OPTIONALS

53x50

AL5511GX White

AL5511GI Stainless steel

Gas oven

Gas grill

4 gas burners cooktop



AL5511MX White


AL5511MI Stainless steel

- Gas oven
- Electric grill

4 gas burners cooktop







STANDARD FEATURES

- Enamelled pan supports
- Oven Thermometer
- Grill

85-90

75

• Oven cavity with Titanium enamel

OVEN OPTIONALS

- Storage compartment
- Gas oven thermostat
- Safety valves for gas oven/gas grill
- Oven light
- Ignition by button for gas oven/gas grill

HOB OPTIONALS

ALPHA Technical Features

MODELS	AL9612GX	AL9612GI	AL9612MX	AL9612MI	AP9612GX	AP9612GI	AP9616GX	AP9616GI	AP9622GX
DIMENSIONS									
Width	90	90	90	90	90	90	90	90	90
Depth	60	60	60	60	60	60	60	60	60
Height	85-90	85-90	85-90	85-90	90-95	90-95	90-95	90-95	90-95
MAIN FEATURES									
Colour	white	st. steel	white						
Bottle Compartment					х	х	х	х	х
Maxi-oven	х	х	х	х					
Storage compartment	optional	optional	optional	optional	x	х	х	х	х
HOB FEATURES									
Ignition by button	optional	optional	optional	optional	optional	optional	optional	optional	optional
Enamelled pan supports	Х	Х	х	х	Х	х	х	х	х
HOB COMBINATIONS									
Triple-ring burner kW	3,6	3,6	3,6	3,6	3,6	3,6			3,6
Rapid burner kW	3	3	3	3	3	3	3	3	3x2
Semi-rapid burner kW	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2
Auxiliary burner kW	1	1	1	1	1	1	1	1	1
Electric hotplates kW							1,5	1,5	
OVEN FEATURES									
Oven compartment net volume It.	123	123	123	123	67	67	67	67	67
Static convection energy consumption ⁽¹⁾ kWh									
Thermostat	Х	Х	х	х	optional	optional	optional	optional	optional
Timer	optional	optional	optional	optional	optional	optional	optional	optional	optional
Safety valves on oven burners	optional	optional	optional	optional	optional	optional	optional	optional	optional
Ignition by button	optional	optional	optional	optional	optional	optional	optional	optional	optional
Oven light	optional	optional	optional	optional	optional	optional	optional	optional	optional
Turnspit	optional	optional	optional	optional	optional	optional	optional	optional	optional
Titanium enamel	х	х	х	х	х	х	х	х	х
Gas oven - Gas grill	X	x			x	х	x	х	х
Gas oven - Electric grill			x	х					
Electric oven - Electric grill									

MODELS	AP9622GI	AL8512GX	AL8512GI	AL8516GX	AL8516GI	AP8511GX	AP8511GI	AP8516GX	AP8516GI
DIMENSIONS									
Width	90	80	80	80	80	80	80	80	80
Depth	60	50	50	50	50	50	50	50	50
Height	90-95	85-90	85-90	85-90	85-90	90-95	90-95	90-95	90-95
MAIN FEATURES									
Colour	st. steel	white	st. steel						
Bottle Compartment	х					х	х	х	х
Maxi-oven		х	х	х	х				
Storage compartment	х	optional	optional	optional	optional	х	х	х	х
HOB FEATURES									
Ignition by button	optional	optional	optional	optional	optional	optional	optional	optional	optional
Enamelled pan supports	х	х	х	х	х	х	х	х	х
HOB COMBINATIONS									
Triple-ring burner kW	3,6	3,6	3,6						
Rapid burner kW	3x2	3	3	3	3	3	3	3	3
Semi-rapid burner kW	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2
Auxiliary burner kW	1	1	1	1	1	1	1	1	1
Electric hotplates kW				1,5	1,5			1,5	1,5
OVEN FEATURES									
Oven compartment net volume It.	67	90	90	90	90	47	47	47	47
Static convection energy consumption ⁽¹⁾ kWh		х	х						
Thermostat		х	х	х	х				
Timer	optional	optional	optional	optional	optional	optional	optional	optional	optional
Safety valves on oven burners	optional	optional	optional	optional	optional	optional	optional	optional	optional
Ignition by button	optional	optional	optional	optional	optional	optional	optional	optional	optional
Oven light	optional	optional	optional	optional	optional	optional	optional	optional	optional
Turnspit	optional	optional	optional	optional	optional	optional	optional	optional	optional
Titanium enamel	х	х	х	х	х	х	х	х	х
Gas oven - Gas grill	х	х	х	х	х	х	х	х	х
Gas oven - Electric grill									
Electric oven - Electric grill									

ALPHA Technical Features

MODELS	AL6609EX	AL6609EI	AL6611GX	AL6611GI	AL5511GX	AL5511GI	AL5511MX	AL5511MI
DIMENSIONS								
Width	60	60	60	60	53	53	53	53
Depth	60	60	60	60	50	50	50	50
Height	85-90	85-90	85-90	85-90	85-90	85-90	85-90	85-90
MAIN FEATURES								
Colour	white	st. steel	white	st. steel	white	st. steel	white	st. steel
Bottle Compartment								
Maxi-oven						х	х	х
Storage compartment	optional	optional	optional	optional	optional	optional	optional	optional
HOB FEATURES								
Ignition by button	optional	optional	optional	optional	optional	optional	optional	optional
Enamelled pan supports	x	х	х	х	x	х	х	х
HOB COMBINATIONS								
Triple-ring burner kW	3,6		3,6	3,6				
Rapid burner kW			3	3	3	3x2	3x2	3
Semi-rapid burner kW			1,75x2	1,75x2	1,75x2	1,75x2	1,75x2	1,75x2
Auxiliary burner kW			1	1	1	1	1	1
Electric hotplates kW	1x2 - 1,5x2 - 2x1	1x2 - 1,5x2 - 2x1						1,5
OVEN FEATURES								
Oven compartment net volume It.	67	67	67	67	58	58	58	58
Static convection energy consumption(1) kWh	0,814	0,814		х				
Thermostat	x	х	optional	optional	optional	optional	optional	optional
Timer	optional	optional	optional	optional	optional	optional	optional	optional
Safety valves on oven burners			optional	optional	optional	optional	optional	optional
Ignition by button			optional	optional	optional	optional	optional	optional
Oven light	optional	optional	optional	optional	optional	optional	optional	optional
Turnspit	optional	optional	optional	optional		optional	optional	optional
Titanium enamel	Х	х	Х	х	х	х	Х	х
Gas oven - Gas grill			Х	х	х	х		
Gas oven - Electric grill							Х	х
Electric oven - Electric grill	x	x						



Glem Gas S.p.A. via Modenese, 4266 41018 San Cesario S.P. Modena - Italy tel. +39 059 959111 fax +39 059 959150 info@glemgas.com www.glemgas.com