

# GLEM Rangehood Series.



**QUIETAIR**<sup>TM</sup>  
OFF BOARD RANGEHOOD SOLUTIONS BY GLEM

**GLEM**  
**800 SERIES**

*Classic Series*

There's nothing quite like the kitchen. It's a meeting place, a place to excel, a place to relax, a place to share. A true comfort.

**GLEM**

# GLEM Rangehood Collections.

### Quiet Air Off board Rangehoods

Quiet Air rangehoods have the advantage of almost totally silent operation. The fan motor is "Off Board" which means that it is located in the ceiling cavity. In apartments or homes without a space above the kitchen Quiet Air rangehoods cannot be used and we recommend the 800 series.

Quiet Air rangehoods come with a full installation kit including ducting. The only thing not included is the duct tape and the external vent.

### Glem 800 Series Onboard Rangehoods

For homes without a ceiling space the 800 Series has an On Board design where the fan motor is contained within the rangehood.

As on the Quiet Air rangehoods the filters are easy to clean stainless steel and the lights are super-efficient LED. There are five different models to select.

Glem 800 Series rangehoods can be recirculated.

### Glem Classic Series Rangehoods

The Classic Series of rangehoods are the perfect replacement for outdated models. The sizes are typical of most existing rangehoods and are an easy way to update a kitchen.

The fan motors are onboard and the Classic Series represent value for money in a replacement rangehood.

### High ceilings

Contact us on 1300 307 917 and ask for After Sales Service to check on the availability of extension chimneys (shrouds) to suit higher ceilings.

### Carbon filters

Odour absorbing carbon filters are available for most models with the exception of the Quiet Air Series, which cannot be recirculated back into the home.

# Takes the noise out of the kitchen

Open plan living makes the kitchen more than a food preparation zone and a noisy rangehood is an unwelcome intrusion. Glem Quiet Air rangehoods are silent. Just the quiet sound of air flowing through the filters.

Suitable for easy installation in any home that has a ceiling space above the kitchen.



## Powerful Extraction

1200m<sup>3</sup> of air is extracted per hour. All models. This is not by chance, we know that this is a great extraction rate to use in Australian kitchens.



## Led Lighting

LED lights with a total consumption of 6W. Bright, efficient and long lasting.



## Stainless Steel Filters

Stainless steel baffle filters last a lifetime and are dishwasher safe for easy cleaning. They catch excess moisture from the cooking process and stop it dripping back into the food.



## Perimeter Extraction

On the flat rangehood models, the "T Bars", we use perimeter extraction to increase the area of extraction over the cooking area. The stainless steel plate hinges down to provide access to the mesh filters above. Easy to clean, beautiful and stylish.



## Ease of Installation

Installation fittings are included. All that is required are some tools, duct tape and expertise. The ceiling space installation stops the need to clamber around on the roof. We don't supply the external vent because every house is different.



## Service

Quiet Air rangehoods benefit from the National Service program of Glem Gas Australasia Pty. Ltd. There is always a Service Agent when you need one.

## Off Board Rangehood Collection

### 90cm Slim Line Canopy.




GQA90SC

**24/7**  
MONTH PRODUCT WARRANTY / 7 YEAR MOTOR WARRANTY



#### Functions and Features

- 1200 cubic metres per hour extraction
- Ceiling cavity motor for silent operation
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan
- 3 dishwasher safe stainless steel filters
- 2 year product warranty and 7 year motor warranty
- Ready to go. Easy to install.



#### Complimentary Accessories



Filter hinge safety system



Mesh filter option included



Full installation kit included



## 85cm Under Mount Rangehood.




GQA85UC

**24/7**  
MONTH PRODUCT WARRANTY / YEAR MOTOR WARRANTY



### Functions and Features

- 1200 cubic metres per hour extraction
- Ceiling cavity motor for silent operation
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan
- 2 dishwasher safe stainless steel filters
- Oil collection tray
- 2 year product warranty and 7 year motor warranty
- Ready to go. Easy to install.



\* allow 5mm clearance for installation

### Complimentary Accessories



Full installation kit included

## Off Board Rangehood Collection

### 90cm Square Line Canopy.




GQA90TB

**24/7**  
MONTH PRODUCT WARRANTY / 7 YEAR MOTOR WARRANTY



#### Functions and Features

- 1200 cubic metres per hour extraction
- Ceiling cavity motor for silent operation
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan
- Perimeter filtration system
- 2 year product warranty and 7 year motor warranty
- Ready to go. Easy to install.



#### Complimentary Accessories



Filter hinge safety system



Full installation kit included

## 120cm Square Line Canopy.




GQA120TB

**24/7**  
MONTH PRODUCT WARRANTY / 7 YEAR MOTOR WARRANTY



### Functions and Features

- 1200 cubic metres per hour extraction
- Ceiling cavity motor for silent operation
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan - easy clean touch controls
- Perimeter filtration system
- 2 year product warranty and 7 year motor warranty
- Ready to go. Easy to install.



### Complimentary Accessories



Filter hinge safety system



Full installation kit included

# A new look at canopies.



The 800 Series is elegant and luxurious. There are five models in the range, all with high performance 800 cubic metres per hour extraction and super efficient LED lighting. The baffle filters are all dishwasher safe stainless steel, the fans have aerodynamic profile metal blades and there are 3 extraction settings.



Low consumption LED lighting



Stainless Steel baffle filters

## 90cm Low Profile Slim Line Design

Sleek and elegant wall mounted rangehood. Able to be installed ducted or recirculating with charcoal filters available to remove odours as an option. High brightness illumination with 6 LED lights – 3 across the rear and another 3 across the front of the rangehood lighting the whole cooktop.

### CK90SCF

90cm wide

Stainless steel construction

800 cubic metre per hour extraction

3 speed fan



Electronic controls

6 x LED lights

Outlet diameter 150mm

Noise Rating - db 60

Can be recirculated





## 60cm Low Profile Slim Line Design



A new look for 60cm canopy rangehoods the low profile design brings a new level of style to 60cm canopies. Able to be installed ducted or recirculating with charcoal filters available to remove odours as an option. High brightness illumination with 4 LED lights – 2 across the rear and another 2 across the front of the rangehood to really enhance the cooking experience.

### CK60SCF

60cm wide

Stainless steel construction

800 cubic metre per hour extraction

3 speed fan


Electronic controls

4 xLED lights

Outlet diameter 150mm

Noise Rating - db 60

Can be recirculated



## 90cm Curved Glass Canopy.

A new sleek curve on the glass and the new black touch control panel makes this a high tech rangehood perfect for the modern kitchen. Wall mounted with the option of ducted or recirculated installation.

### CK90CGNF

90cm wide

Stainless steel construction

800 cubic metre per hour extraction

3 speed fan


Electronic touch controls

Twin LED lights

Outlet diameter 150mm

Noise Rating - db 59

Can be recirculated



# Under mount.



These two under mount models have been inspired by commercial rangehood designs. Using heavy duty baffle filters with moisture catchment and high efficiency LED lights these rangehoods bring a new meaning to heavy duty in domestic rangehood design.

## 85cm Under Mount Rangehood.

Perfect for installation over a 60cm wide cooktop right through to a 90cm cooktop.  
Installed under the cupboard out of sight.



### CK85UCF

800 cubic metres per hour extraction

On Board motor

Low consumption LED lights x 3

Outlet diameter 150 mm


3 Speed fan

2 dishwasher safe stainless steel filters

Oil collection tray

2 year warranty

Noise Rating - db 58



## 52cm Under Mount Rangehood.




Something special in an under mount rangehood over a 60cm cooktop. Installed under the cupboard out of sight.



### CK52UCF

- 800 cubic metres per hour extraction
- On Board motor
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan
- Dishwasher safe stainless steel filter
- Oil collection tray
- 2 year warranty
- Noise Rating - db 58





## Classic Series On Board Rangehoods

The classic series of rangehoods are the perfect replacement for outdated models. The sizes are typical of most existing rangehoods and are an easy way to update a kitchen.

The fan motors are onboard and the Classic Series represent value for money in a replacement rangehood.

### 75cm Undercupboard.

Perfect for a 90cm cooktop.

*Classic Series*

#### CK75UCF

75cm wide

Stainless steel construction

700 cubic metre per hour extraction


3 speed fan

Push button controls

Twin square LED lights

Outlet diameter 150mm

Noise Rating - db 58



### 53cm Undercupboard.

Perfect for a 60cm cooktop.

#### CK53UCF

53cm wide

Stainless steel construction

700 cubic metre per hour extraction


3 speed fan

Push button controls

Twin square LED lights

Outlet diameter 150mm

Noise Rating - db 58





## Classic Series On Board Rangehoods

*Classic Series*



### 60cm Slide Out.

#### CK60SLF

##### Ducted only


60cm wide  
Stainless steel construction  
320 cubic metre per hour extraction  
2 speed fan  
Twin square LED lights  
Outlet diameter 120mm  
Noise Rating - db 55




#### CK60FRF

##### Recirculated

60cm wide  
Stainless steel construction  
210 cubic metre per hour extraction  
2 speed fan  
Twin square LED lights  
Outlet diameter 120mm  
Noise Rating - db 43



CK60SLF - 43mm high frontbar




CK60FRF - 66mm high frontbar



### 60cm Fixed.

#### CK60FXF

60cm wide  
Stainless steel construction  
210 cubic metre per hour extraction  
3 speed fan  
Outlet diameter 120mm  
Noise Rating - db 54





**Glem Gas Australasia Pty Ltd**

48 Percy Street, Auburn NSW 2144 | PO BOX 63 Blaxcell PO, South Granville, NSW 2142

Telephone: (02) 9721 2755 | Facsimile: (02) 9721 2766 [info@glemgas.com.au](mailto:info@glemgas.com.au) | [www.glemgas.com.au](http://www.glemgas.com.au) | Local charge 1 300 307 917

The descriptions and images in this brochure apply to the specific products at the date of publication. Glem Gas has a policy of continuous product development and product specifications may change without notice. Please check with the retailer that this brochure correctly describes the products that are being offered for sale. Glem Gas should not be held responsible for any errors in this brochure caused by inaccuracy in printing or transcription. All images used in the brochure are for illustrative purposes only.

**Warranty:** Glem products are covered by a two year warranty, on parts and labour and conditional to our Warranty policy.

**Service:** Glem Gas has an Australia wide service network available. Call 02 9721 2755 for assistance.