

A++ class Product Information
GHS972BK/GHS972IX

MODEL

GHS972BK/GHS972IX

Energy efficiency classes of domestic range hoods (A-G)	A++
Annual Energy Consumption - AEC hood (kWh/a)	16
Fluid Dynamic Efficiency classes for domestic range hoods (A-G)	A
Lighting Efficiency classes (A-G)	A
The Grease Filtering Efficiency classes (A-G)	C
Sound power level L WA - (dB)	63
Time increase factor - f	0,7
Fluid Dynamic Efficiency - FDE hood	35,3
Energy Efficiency Index - EEI hood	34,5
Measured air flow rate at best efficiency point - Q BEP (m ³ /h)	252,4
Measured air pressure at best efficiency point P BEP (Pa)	249
Measured electric power input at best efficiency point - W BEP (W)	49,4
Nominal power of the lighting system - W L (W)	3,8
Average illumination of the lighting system on the cooking surface - E middle (lux)	129
Lighting Efficiency LE hood - (lux/Watt)	33,9
Grease Filtering Efficiency GFE hood - (%)	77,2
Minimum airflow (Q min)	200
Maximum air flow - Q max (m ³ /h)	596
Airflow -boost (Q boost)	-
Minimum sound power level L WA - (dB)	51
Maximum sound power level L WA - (dB)	63
Sound power level-boost L WA - (dB) Measured	-
power consumption off mode P o (W)	0,34
Measured power consumption in standby mode - P s (W)	-

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014 "