EN Ecodesign information / Technical product fiche

	symbol	Value	Unit
Brand	GLEM		
Model number	GHI910BK		
Annual energy consumption	AEC	69.0	kWh/annum
Energy effciency index	EEi	67.7	-
Fluid dynamic effciency index	FDE	22.5	-
Lighting efficiency index	LE	44.0	-
Grease filtering efficiency	GFE	85.5	-
Time increase factor	f	1.2	-
Maximum volumetric airflow of the cooker hood	Q _{max}	837.7	m³/h
Volumetric airflow at best efficiency point	Q BEP	400.2	m³/h
Static pressure at the best efficency point	P BEP	314	Р
Power consumption at the best efficency point	W BEP	155.3	w
Nominal power consumption of lighting system	W L	2.0	w
Average illimination of the lighting system	E _{middle}	88	Lux/W
Power consumption in off mode	P _o	0.00	w
Power consumption in standby mode	P _s	0.34	w
Volumetric airflow at the highest speed setting in normal use	-	624.0	m³/h
Volumetric airflow at the lowest speed setting in normal use	-	459.6	m³/h
Volumetric airflow in intensive or boost mode	-	837.7	m³/h
Sound power emissions at the highest speed setting in normal use	-	75	dB(Lwa)
Sound power emissions at the lowest speed setting in normal use	-	72	dB(Lwa)
Sound power emissions in intensive / boost mode	-	77	dB(Lwa)

in Energy saving advice

For optimal use of your appliance,

- Preferably connect your appliance to a 150mm ducting.
- Limiting the number of bends and the maximum length of the ducting.
- Adjust your speed to the cooking method and the number of pots.
- The use of the back burner of your cooking appliance is favoured.
- Maintain your appliance regularly to retain optimum performance.